

# Afgjort: A Partially Synchronous Finality Layer for Blockchains

Thomas Dinsdale-Young<sup>1</sup>, Bernardo Magri<sup>2</sup>, Christian Matt<sup>1</sup>,  
Jesper Buus Nielsen<sup>2</sup>, and Daniel Tschudi<sup>1,2</sup>

<sup>1</sup>Concordium, Aarhus, Denmark, and Zurich, Switzerland  
{[ty](mailto:ty@concordium.com), [cm](mailto:cm@concordium.com), [dt](mailto:dt@concordium.com)}@concordium.com

<sup>2</sup>Concordium Blockchain Research Center, Aarhus University, Denmark  
{[magri](mailto:magri@cs.au.dk), [jbn](mailto:jbn@cs.au.dk)}@cs.au.dk

March 30, 2020

## Abstract

Most existing blockchains either rely on a Nakamoto-style of consensus, where the chain can fork and produce rollbacks, or on a committee-based Byzantine fault tolerant (CBFT) consensus, where no rollbacks are possible. While the latter ones offer better consistency, the former tolerate more corruptions. To achieve the best of both worlds, we initiate the formal study of finality layers. Such a finality layer can be combined with a Nakamoto-style blockchain (NSB) and periodically declare blocks as final, preventing rollbacks beyond final blocks.

As conceptual contributions, we formalize the concept of a finality layer and identify the following properties to be crucial for finality layers: finalized blocks form a chain (*chain-forming*), all parties agree on the finalized blocks (*agreement*), the last finalized block does not fall too far behind the last block in the underlying blockchain (*updated*), and all finalized blocks at some point have been on the chain adopted by honest parties holding at least  $k$  units of the resource on which consensus is based, e.g., stake or computing power (*k-support*).

As technical contributions, we propose two variants of a finality layer protocol we call Afgjort. The first variant satisfies all of the aforementioned requirements when combined with an arbitrary blockchain that satisfies the usual common-prefix, chain-growth, and chain-quality properties. The second one needs an additional, mild assumption on the underlying blockchain, but is more efficient and has higher support. For both variants, we prove these properties in the setting with less than  $1/3$  corruption among the finalizers and a partially synchronous network. We further show that tolerating less than  $1/3$  corruption is optimal for partially synchronous finality layers. Finally we provide data from experiments we ran with an implementation of our protocol. The experiments confirm that finality is reached much faster than without a finality layer.

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Our Contributions . . . . .	3
1.2	The Two-Layer Approach . . . . .	4
1.3	Our Techniques . . . . .	5
1.4	Related Work . . . . .	6
1.5	Outline . . . . .	7
<b>2</b>	<b>Preliminaries</b>	<b>8</b>
2.1	Model and Network Assumptions . . . . .	8
2.2	Graphs and Trees . . . . .	9
<b>3</b>	<b>Abstract Model of Blockchains</b>	<b>9</b>
3.1	Description of Tree Functionality . . . . .	10
3.2	Desirable Properties and Bounds . . . . .	12
<b>4</b>	<b>The Finality Layer</b>	<b>14</b>
4.1	Formalization . . . . .	14
4.2	On Proving UC Security . . . . .	16
4.3	Impossibility of Better Bounds for the Number of Corruptions . . . . .	17
<b>5</b>	<b>Afgjort Protocol</b>	<b>18</b>
5.1	Computing the Next Finalization Gap . . . . .	20
5.2	Existence of Unique Justified Proposals . . . . .	22
<b>6</b>	<b>Weak Multi-Valued Byzantine Agreement</b>	<b>24</b>
6.1	Freeze Protocol . . . . .	25
6.2	Core Set Selection . . . . .	28
6.3	Another Binary Byzantine Agreement . . . . .	30
6.4	WMVBA Protocol . . . . .	33
6.5	Filtered WMVBA Protocol . . . . .	36
<b>7</b>	<b>Security Analysis of Finalization</b>	<b>40</b>
<b>8</b>	<b>Committee Selection</b>	<b>42</b>
8.1	External Committees . . . . .	42
8.2	Chain-Based Committees . . . . .	42
<b>9</b>	<b>Experimental Results</b>	<b>43</b>

# 1 Introduction

In classical blockchains such as Bitcoin [21], parties that win a “lottery” are given the right to append blocks to a growing chain. Due to network delays, the chain can fork and become a tree since parties can append new blocks to the chain before even seeing other blocks already appended to the chain by other parties. Such forks can also be created intentionally due to adversarial behavior. Therefore, parties need a chain-selection rule, e.g., the longest-chain rule, determining which chain in the tree is considered valid and where to append new blocks. The chain selected by a given party can thus change over time, causing rollbacks and invalidating transactions on the previously selected chain. Since very long rollbacks are unlikely, the risk can be mitigated by waiting until “sufficiently many” blocks are below a certain block before considering it “final”. This waiting time can, however, often be longer than what is desirable for applications: Even assuming perfect network conditions and  $1/3$  corruption, the adversary can win  $k$  lotteries in a row with probability  $1/3^k$  and thereby cause a rollback of length  $k$ . This means that to limit the rollback probability of a block to  $2^{-80}$ , which is a desirable security level in a cryptographic setting, one needs to wait for at least 50 blocks appended to it. Taking Bitcoin as an example, where a new block is generated roughly every 10 minutes, this results in waiting for more than 8 hours for a block to be final. Considering more sophisticated attacks and unclear network conditions, an even longer waiting time would be necessary. The main reason for this slow finality is that the simplistic rule of looking far enough back in the chain needs to take a worst-case approach: it is extremely unlikely that the adversary wins 49 blocks in a row, but to obtain  $2^{-80}$  security against  $1/3$  corruption, you must assume all the time that it could just have happened.

**NSB vs CBFT blockchains.** As an alternative to Nakamoto-style blockchains (NSBs), committee-based Byzantine fault tolerant (CBFT) consensus designs such as the ones employed by Tendermint [18, 5] and Algorand [19, 14] have been proposed. Such blockchains provide immediate finality, i.e., every block that makes it into such a blockchain can be considered final. They have, however, one big disadvantage when compared to NSBs: responsive CBFT protocols cannot tolerate more than  $t < n/3$  corruptions (cf. [25]), while NSBs typically tolerate up to  $t < n/2$  corruptions.

## 1.1 Our Contributions

**Formalization of finality layers.** To facilitate the formal study of finality layers, we identify the following properties to be crucial. (1) *Chain-forming* says that no forks should be in the final part of the tree, i.e., all finalized blocks should be on a chain. (2) *Agreement* further ensures that all honest parties agree on all finalized blocks. (3) The  $\Delta$ -*updated* property guarantees that the chains held by honest parties are at most  $\Delta \in \mathbb{N}$  blocks beyond the last finalized block; in other words, finalized blocks keep up with the chain growth. Finally, the (4)  $k$ -*support* property ensures that any finalized block must have been on the chain adopted by at least  $k$  honest parties<sup>1</sup>; a minimal requirement is *1-support*, as otherwise, finalized blocks are potentially not on the path of *any* honest party, forcing parties to “jump” to the finalized block and resulting in bad chain quality.

---

<sup>1</sup>We note that whenever we mention number of parties in this work it should be interpreted as the number of parties weighted by the underlying resource of the blockchain, e.g., in a PoS system  $k$  parties should be read as the fraction  $k/n$  of the total stake  $n$  in the system.

**A new partially synchronous finality layer.** We propose a partially synchronous<sup>2</sup> finality layer, called Afgjort, that can be composed with virtually any NSB (synchronous or partially synchronous) that has the standard properties of common prefix, chain growth, and chain quality (cf. [12, 23, 10]). Our finality layer allows a finalization committee to dynamically “checkpoint” the blockchain by using Byzantine agreement to identify and then mark common blocks in the honest users’ chains as final. Our finality layer is responsive in the sense that blocks are declared as final as soon as they are in the common-prefix of honest parties, which is typically long before the the worst-case common-prefix bound. Under the additional mild assumption that we call *bounded dishonest chain growth*, that intuitively says that a chain only adopted by dishonest parties grows slower than the chains of honest parties, we prove that our protocol satisfies all the desired properties mentioned above with  $n/3$ -support as long as there are less than  $n/3$  corrupted parties in a committee of size  $n$ . We additionally provide a protocol variant that provably works on top of any NSB blockchain with the usual common-prefix, chain-growth, and chain-quality properties, without relying on bounded dishonest chain growth. For that variant, we however only obtain 1-support.

**Experiments.** We have implemented our finality layer on top of a proof-of-stake blockchain and ran experiments in different settings. In Section 9 our results show that our finality layer indeed provides finality much faster than the 50 blocks waiting time mentioned above. In all experiments, finality is typically reached after about 10 blocks, in favorable conditions even 3 to 4 blocks are mostly sufficient.

## 1.2 The Two-Layer Approach

Using a two-layer approach with a finality layer on top of a NSB has several advantages over using a CBFT consensus design or using only a NSB. First of all, when the corruption is below  $n/3$ , the finality layer can declare blocks as final much faster than a pure NSB. Furthermore, when the corruption is between  $n/3 < t < n/2$ , a two-layer design can “turn off” the finality layer and rely on the NSB, whereas pure CBFT designs completely break in this setting. Additional features of a two-layer design include:

- A finality layer can be put on top of *any* NSB, yielding a modular design. This allows to optimize the two aspects separately. In particular, our finality layer can be put on top of existing blockchains to get responsive finality.
- A finality layer can prevent long-range attacks on proof-of-stake blockchains. In a long range attack, an attacker can in several plausible situations grow a deeper alternative chain from far back in time that overtakes the real one [13]. To prevent this, many existing proof-of-stake protocols rely on a complex chain-selection rule including some form of checkpointing, which prevents honest parties from adopting such alternative chains [10, 3]. A finality layer (such as Afgjort) can provide this checkpointing, which is then not needed anymore in the underlying blockchain. Therefore, one can use simpler chain-selection rules for these protocols, such as simply choosing the longest chain.
- In contrast to pure CBFT designs, a two-layer blockchain continuously keeps producing blocks in the NSB and can then finalize several of them at once. Therefore, a two-layer design can provide higher and more consistent throughput than pure CBFT designs in situations where the Byzantine agreement is slower than the NSB.

---

<sup>2</sup>We consider the *partially synchronous* network model of [11], where there is an upper bound  $\Delta_{\text{net}}$  on the network delay that is not known to the protocol designer or the honest parties. In particular,  $\Delta_{\text{net}}$  cannot be used by a partially synchronous protocol.

### 1.3 Our Techniques

We assume the existence of a *finalization committee* such that less than  $1/3$  of the committee can be corrupted. We emphasize that selecting such a committee is an orthogonal problem, which has already been studied in the literature [25, 16, 17] and is not in the scope of this work. We still provide an overview of different ways to select committees in Section 8.

The finalization committee is responsible for finalizing the next block. The block they are to finalize is the one at depth  $d$ , where  $d$  is some depth in the tree that they all agree on and which is deeper than the currently last finalized block. To ensure all parties agree on the value of  $d$ , it can be deterministically computed from the blocks in the path of the last finalized block.

**Why not “off-the-shelf” Byzantine agreement?** At first, it may appear that there is an easy way to finalize a block at depth  $d$ : Simply let the committee run some existing “off-the-shelf” Byzantine agreement protocol to agree on a block at depth  $d$ , which is then declared final. Typical Byzantine agreement protocols, however, do not provide the guarantees we need: the usual validity property only guarantees that if all honest parties have the same input value, they agree on this value; if honest parties start with different values, the agreement can be on an arbitrary value. This means that if we use this approach and start finalization before depth  $d$  is in the common prefix of all honest parties, any block, even ones not on the chain of any honest party, can be declared as final. This is clearly undesirable and violates the support property we require from finality layers. Better guarantees could be achieved by using Byzantine agreement with strong validity introduced by Neiger [22]. This requires the agreed value to be the input of an honest party. Even this strong notion, however, only gives 1-support, while we aim for higher support. Furthermore, strong impossibility results are known for this type of validity if the set of possible input values is large, which is the case in our setting since there could be many different blocks at depth  $d$ .

**Protocol description.** The basic insight that allows us to overcome these limitations is that we can utilize the common-prefix property of the underlying blockchain: If we wait long enough, all honest parties will have the same block at depth  $d$  on their chain. In that case, they can decide on this block. If honest parties have different blocks at depth  $d$ , they can just agree to wait longer.

More concretely, our protocol proceeds as follows. When a committee member has a chain which reached depth  $d + 1$ , it votes on the block it sees at depth  $d$  on its chain using a committee-based Byzantine fault tolerance consensus protocol (CBFT). This protocol is designed such that it succeeds if all parties vote for the same block, otherwise it might fail. If the CBFT announces success, the block that it outputs is defined to be final. This is enforced by modifying the chain-selection rule to always prefer the chain with the most final blocks. If the CBFT reports failure, the committee members will iteratively retry until it succeeds. In the  $i$ 'th retry they wait until they are at depth  $d + 2^i$  and vote for the block they see at depth  $d$  on their chain. Eventually  $2^i$  will be large enough that the block at depth  $d$  is in the common-prefix, and then the CBFT will succeed. The process then repeats with the next committee and the next depth  $d' > d$ .

This finality layer works under the assumption that there is some non-trivial common-prefix. It does not need to know how long it is, it only assumes that some unknown upper bound exists. Note that the length of the common prefix generally can, among other things, depend on the network delay, which is unknown in our partially synchronous model. This also gives responsive finality: when the number of blocks after the common-prefix value is low, we finalize quickly. Furthermore, it makes the finality layer work as a hedge against catastrophic events, during

which there are more blocks than usual after the common prefix.

**Common-prefix and uniquely justified votes.** The procedure described above ensures that at some point, the block to be finalized at depth  $d$  is in the common-prefix. Then, the common-prefix property ensures that all *honest* parties vote for that block. It is still possible for dishonest parties to vote for another block. We propose two protocol variants that deal with this in different ways.

The first protocol variant requires an additional property of the underlying blockchain, which we call bounded *dishonest chain growth*. It implies that a chain only adopted by dishonest parties grows slower than the chains of honest parties. This holds for many blockchains (assuming honest majority of the relevant resource), but it may not hold, e.g., if the blockchain allows parties to adaptively adjust the hardness of newly added blocks. In that case, dishonest parties can grow long chains with low hardness quickly without violating the common-prefix property, since honest parties will not adopt those chains with low hardness.

Given this additional property, we have that at some point, there will be only one block at depth  $d$  lying on a sufficiently long path. When a party votes for a block at depth  $d$ , we ask the party to *justify* the vote by sending along an extension of the path of length  $2^i$ . So we can ask that our CBFT has success only when *all* parties vote the same, even the corrupted parties. In all other cases it is allowed to fail. Since any path can eventually grow to any length, the property that there is a unique justified vote is temporary. We therefore start our CBFT with a so-called Freeze protocol which in a constant number of rounds turns a temporarily uniquely justified vote into an eternally uniquely justified vote. After that, the CBFT can be finished by running a binary Byzantine agreement on whether Freeze succeeded.

We further present a second protocol variant that does not rely on bounded dishonest chain growth and consequently works on top of any blockchain with the typical properties. We still get from the common-prefix property that at some point, all *honest* parties will vote for the same block. We exploit this by adding an additional step at the beginning of the protocol which tries to filter out votes that come only from dishonest parties.

**Keeping up with chain growth.** The updated property of the finality layer requires that the finalized blocks do not fall behind the underlying blockchain too much. To guarantee this, the depths for which finalization is attempted need to be chosen appropriately. Ideally, we would like the distance between two finalized blocks to correspond to the number of blocks the chain grows during the time needed for finalization. Since parties have to agree on the next depth to finalize beforehand, they can only use information that is in the chain up to the last finalized block to determine the next depth.

We use the following idea to ensure the chain eventually catches up with the chain growth: When parties add a new block, they include a pointer to the last block that has been finalized at that point. They also include a witness for that finalization, so that others can verify this. If the chain does not grow too fast, at the time a finalized block is added to the chain, the previously finalized block should already be known. If the chain grows too fast, however, we keep finalizing blocks that are too high in the tree. In the latter case, the pointer to the last finalized block in some block will be different from the actually last finalized block. If we detect this, we can adjust how far we need to jump ahead with the following finalization.

## 1.4 Related Work

A closely related work is Casper the Friendly Finality Gadget [6], which was (to the best of our knowledge) the first proposal of a modular finality layer that can be built on top of

a Nakamoto-style blockchain. Casper presents a finality layer for PoW blockchains where a finalization committee is established by parties that are willing to “deposit” coins prior to joining the committee. The committee members can vote on blocks that they wish to make final and a CBFT protocol is used to achieve agreement; if more than  $2/3$  of the committee members (weighted by deposit value) vote on the same block, then the block becomes “final”. Casper also employs a penalty mechanism known as slashing; if a committee member signs two conflicting votes, its previously deposited coins can be slashed from the system as a penalty. However, since the authors do not present a precise network model and a detailed protocol description and analysis, it is not clear whether the Casper protocol guarantees liveness and/or safety in the partially synchronous model. In particular, the authors only consider what they call “plausible liveness”, but there is no guarantee that liveness actually holds.

Another closely related, concurrent work is GRANDPA [27]. In contrast to our work and Casper FFG, parties in the initial phase of GRANDPA vote for their whole chain instead of a block on a predetermined depth. Parties then try to finalize the deepest block with more than  $2/3$  votes. This allows to finalize blocks as deep as possible. We note, however, that our mechanism of choosing the next finalization depth (see paragraph “keeping up with chain growth” above) also guarantees that we finalize sufficiently deep blocks. In contrast to our paper, GRANDPA only gives an informal treatment on several aspects. In particular, they do not consider the updated and support properties as we do, and they do not precisely specify which properties from the underlying NSB they need. From the properties they state, one can conclude that they achieve only 1-support, while our protocol has  $n/3$ -support. Furthermore, GRANDPA relies on a leader, what could be a problem for the liveness of the protocol if a DDoS attack is directed to the leader after his role is revealed. We remark that our protocol does not rely on a leader. Moreover, GRANDPA also uses a fixed timeout  $T$ ; it inevitably prevents the protocol from being responsive in the sense that it will run slower than the network allows it when  $T$  is set too large. Our protocol does not rely on such fixed timeouts.

We stress that we are *not* presenting a blockchain protocol, yet it is instructive to compare our finality layer to existing consensus protocols. The consensus protocol closest to ours is Hybrid Consensus (HC) by Pass and Shi [25], and the closely related Thunderella [26]. They take an underlying synchronous blockchain and use it to elect a committee. To do so, they assume that the underlying blockchain has a known upper bound on how long rollbacks can be. Parties then look that far back in their currently adopted chain to elect the committee based on that blocks. Then the committee runs a CBFT protocol to get a responsive consensus protocol, i.e., the committee is producing the blocks. Note that this does not add finality to the underlying blockchain. We could cast our work in terms of theirs as follows: we can elect the next committee in the same way as HC. But our committee would not produce blocks, instead it introspectively tries to agree on a recent block in the underlying blockchain. We then do a binary search to look far enough back to reach agreement. When we agree, that block is defined as final. Now we could use that final block to elect the next committee in the same way as HC. That way, we can typically elect the next committee from a much more recent block. Thus, we do not need to assume that recent block winners stay online for as long as HC.

Another recent example of a partially synchronous CBFT blockchain is PaLa [9], where the authors propose a blockchain with finality built-in. As other CBFT designs, it lacks any guarantees under  $t \geq n/3$  corruption.

## 1.5 Outline

In Section 2, we describe our assumptions on the network and the overall model, and recall some basic concepts from graph theory that we use later. In Section 3, we describe how we model

the underlying blockchain and our assumptions on its properties. We formalize the goal of a finality layer in Section 4. In Section 5, we present the Afgjort protocol, which uses a weak multi-valued Byzantine agreement that we present in Section 6. In Section 7, we prove that the Afgjort protocol satisfies the properties of a finality layer we introduced in Section 4. In Section 8 we finally discuss how to select finalization committees.

## 2 Preliminaries

### 2.1 Model and Network Assumptions

We assume that there is a physical time  $\tau \in \mathbb{N}$  that is monotonously increasing and that parties have access to local clocks. These clocks do not have to be synchronized; we only require the clocks to run at roughly the same speed. We need that they drift from  $\tau$  by at most some known bound  $\Delta_{\text{Time}}$ . For the sake of simpler proofs we will pretend in proofs that  $\Delta_{\text{Time}} = 0$ . All proofs can easily be adapted to the case of a known  $\Delta_{\text{Time}} > 0$ .

For simplicity, we assume that there is a fixed set of parties  $\mathcal{P}$  with  $n := |\mathcal{P}|$ , where we denote the parties by  $P_i \in \mathcal{P}$ . There is an adversary which can corrupt up to  $t \in \mathbb{N}$  parties. We call  $P_i$  honest if it was not corrupted by the adversary. We use **Honest** to denote the set of all honest parties. For simplicity, we here assume static corruptions, i.e., the adversary needs to corrupt all parties at the beginning. The set of parties  $\mathcal{P}$  constitutes what we call a committee. In Section 8 we discuss how the set  $\mathcal{P}$  can be sampled from a blockchain.

**Network.** We further assume parties have access to a gossip network which allows them to exchange messages. This models how the peer-to-peer layer distributes messages in typical blockchains. We work in a partially synchronous model, which means that there is a hidden bound  $\Delta_{\text{net}}$  on message delays. In contrast to synchronous networks,  $\Delta_{\text{net}}$  is not known, i.e., the protocols cannot use  $\Delta_{\text{net}}$ , they can only assume the existence of some bound. One can think of  $\Delta_{\text{net}}$  as an unknown parameter of the assumed network functionality, or alternatively as being chosen by the adversary at the beginning of the protocol execution (after the protocol has been fixed). More concretely, we make the following assumptions on the network:

- When an honest party sends a message at time  $\tau$ , all honest parties receive this message at some time in  $[\tau, \tau + \Delta_{\text{net}}]$ .
- When an honest party receives a message at time  $\tau$  (possibly sent by a dishonest party), all honest parties receive this message until time  $\tau + \Delta_{\text{net}}$ .

*Remark 1.* The above assumptions on the network are not realistic for a real-world gossip network. We have chosen them because they allow for a proof focusing on the important and novel aspects of our protocol. The assumptions can be weakened significantly. A weaker network model could for instance assume that if the network partitions, it is always at some future point connected again for long enough, and that there exist an unknown bound  $S$  such that the network will not drop a message sent between two connected parties if the same message is sent  $S$  times. In such a model we could for instance let all honest committee members save all messages they sent in the ongoing finalization attempt. They will keep occasionally resending these message until they see the finalization attempt terminate. That way we would only need that all honest committee members are eventually connected to all other members for long enough. Furthermore, parties would only have to store a finite number of messages, namely those belonging to the current finalization event.



**Signatures.** We finally assume that each party has a signing key for some cryptographic signature scheme where the verification key is publicly known (e.g., is on the blockchain). For our analysis, we assume signatures are perfect and cannot be forged. Formally, this can be understood as parties having access to some ideal signature functionality [8, 2]. We do not model this in detail here because the involved technicalities are not relevant for our protocols.

## 2.2 Graphs and Trees

We next recall some basic concepts from graph theory.

**Definition 1.** A *graph*  $G = (V, E)$  consists of a set of *nodes*  $V$  and a set of *edges*  $E$ , where every edge  $e \in E$  is a 2-element subset of  $V$ . A *path* (also called *chain*) of length  $k - 1$  in  $G$  is a sequence  $(v_1, \dots, v_k)$  of distinct nodes such that  $\{v_i, v_{i+1}\} \in E$  for all  $i \in \{1, \dots, k - 1\}$ .

The graphs we are most interested in are trees. We only consider trees with a root (corresponding to the genesis block) in this work and always mean *rooted tree* when saying *tree*.

**Definition 2.** A (*rooted*) *tree*  $T$  is a graph  $(V, E)$  together with a node  $r \in V$ , called *root*, such that for every  $v \in V$ , there is a unique path from  $r$  to  $v$ . We denote this path by  $\text{PathTo}(T, v)$ . A *leaf* is a node  $v \in V \setminus \{r\}$  that occurs in only one edge. We further let  $\text{Depth}(T, v)$  be the length of  $\text{PathTo}(T, v)$  and  $\text{Height}(T, v)$  be the length of the longest path from  $v$  to a leaf. When the tree is clear from context, we may also write  $\text{PathTo}(v)$ ,  $\text{Depth}(v)$ , and  $\text{Height}(v)$ . The height of a tree equals the height of its root:  $\text{Height}(T) := \text{Height}(T, r)$  (equivalently, the height of a tree is the depth of its deepest node).

*Remark 2.* Some papers in the blockchain literature use the term height for what we call depth, e.g., [6]. We instead use the terms depth and height as common in computer science literature, which are derived from the understanding that tree data structures grow from top (root) to bottom (leaves).

**Definition 3.** Let  $T = ((V, E), r)$  be a rooted tree and let  $u, v \in V$  be two nodes. If  $u$  is on  $\text{PathTo}(T, v)$ , then  $u$  is an *ancestor* of  $v$  and  $v$  is a *descendant* of  $u$ .

One can define several operations on graphs. The ones we need are the union and intersection, which are simply defined as the union and intersection of the nodes and edges, respectively.

**Definition 4.** For two graphs  $G_1 = (V_1, E_1)$  and  $G_2 = (V_2, E_2)$ , we define their union as  $G_1 \cup G_2 := (V_1 \cup V_2, E_1 \cup E_2)$ , and their intersection as  $G_1 \cap G_2 := (V_1 \cap V_2, E_1 \cap E_2)$ . For two rooted trees  $T_1 = (G_1, r)$ ,  $T_2 = (G_2, r)$  with common root  $r$ , we define  $T_1 \cup T_2 := (G_1 \cup G_2, r)$  and  $T_1 \cap T_2 := (G_1 \cap G_2, r)$ .

Note that  $T_1 \cup T_2$  and  $T_1 \cap T_2$  are not necessarily trees.

## 3 Abstract Model of Blockchains

We want to describe our finality layer independently of the underlying blockchain protocol. Therefore, we use an abstract model that captures only the relevant properties needed for our finalization layer. The properties are modeled via an ideal functionality  $\mathcal{F}_{\text{TREE}}$ , to which all parties have access.

### 3.1 Description of Tree Functionality

At a high level,  $\mathcal{F}_{\text{TREE}}$  provides each party access to their view of all existing blocks arranged in a tree with the genesis block at its root. The adversary can grow these trees under certain constraints. Formally we give the adversary access to commands which grow the individual trees  $\text{Tree}_i$  of the parties  $P_i$ . We also give party  $P_i$  access to a `GETTREE` command which returns the current  $\text{Tree}_i$ . There are additional commands covered below.

The functionality  $\mathcal{F}_{\text{TREE}}$  maintains several variables that evolve over time. For a time  $\tau$  and a variable  $X$ , we use  $X^\tau$  to denote the value of the variable  $X$  at time  $\tau$ .

Inside  $\mathcal{F}_{\text{TREE}}$  each  $P_i$  has an associated tree  $\text{Tree}_i$ . The nodes in these trees correspond to blocks and can contain several pieces of information, which we do not further specify since this is not relevant here. We only assume that blocks contain a field for some metadata `data` used by our finalization protocols. The party  $P_i$  can read  $\text{Tree}_i$  but is not allowed to modify it. All trees have a common root  $G$ , called genesis, and initially, all trees only consist of  $G$ . We let

$$\text{HonestTree} := \cup_{P_i \in \text{Honest}} \text{Tree}_i$$

be the graph that consists of all blocks in the view of any honest party. The adversary can add nodes to any tree at will, under the constraint that `HonestTree` remains a tree at all times.

All  $P_i$  also have a position  $\text{Pos}_i \in \text{Tree}_i$ . We require that  $\text{Pos}_i$  is a leaf of  $\text{Tree}_i$  and can be set at will by the adversary. If the adversary adds a node in  $\text{Tree}_i$  that is a child of  $\text{Pos}_i$ ,  $\text{Pos}_i$  gets updated to be the new leaf.

Recall that for a node  $B$  in  $\text{Tree}_i$ ,  $\text{PathTo}(\text{Tree}_i, B)$  denotes the (unique) path from the root to  $B$ . We define  $\text{Path}_i := \text{PathTo}(\text{Tree}_i, \text{Pos}_i)$ . In a typical blockchain protocol,  $\text{Path}_i$  corresponds to the chain currently adopted by  $P_i$  (e.g., the longest chain, or the chain with maximal total hardness).

*Remark 3.* New blocks are typically not added only by the adversary, but also by honest parties that are baking. Furthermore, the positions of honest parties are not set by the adversary, but by the parties themselves following some chain selection rule, e.g., by setting the position to the deepest leaf in the tree. We give the adversary full control over these two aspects for two reasons: First, it allows us to abstract away details about these mechanisms. Secondly, giving the adversary more power makes our results stronger.

**Finalization friendliness.** To be able to finalize, we need the blockchain to be finalization friendly. This basically means that it needs to provide an interface for our finalization protocols. Concretely, parties need to additionally have access to the two commands `SETFINAL` and `PROPDATA`. A party calls `(SETFINAL, R)` once this party considers  $R$  to be final. More formally, each party has a variable  $\text{lastFinal}_i \in \text{Tree}_i$ , initially set to the genesis block  $G$ . The command `(SETFINAL, R)` for  $R \in \text{Tree}_i$  sets  $\text{lastFinal}_i$  to  $R$ . Inputs `(SETFINAL, R)` by  $P_i$  where  $R$  is not a descendant of  $\text{lastFinal}_i$  are ignored. The intended effect on the blockchain is that parties will eventually set their position to be a descendant of  $R$  and maintain this indefinitely. In our formalization, this corresponds to a restriction on how the adversary sets the positions and is discussed in Section 3.2. In a real blockchain protocol, this can be achieved by modifying the chain selection rule to reject all chains not containing  $R$ . For honest  $P_i$  we use  $\text{FinalTree}_i$  to be the tree consisting of all paths in  $\text{Tree}_i$  going through  $\text{lastFinal}_i$ . Note that this consists of only a single path from  $G$  to  $\text{lastFinal}_i$  and then possibly a proper tree below  $\text{lastFinal}_i$ . We let  $\text{FinalTree} = \cup_{P_i \in \text{Honest}} \text{FinalTree}_i$ .

The command `(PROPDATA, data)` allows parties to propose some  $\text{data} \in \{0, 1\}^*$  to be included in a future block. This is different from transactions being added to blocks in that we only have weak requirements on it: Roughly speaking, we want a constant fraction of all honest




Figure 1: Example of a possible `HonestTree` with honest parties  $P_1$ ,  $P_2$ ,  $P_3$ , and  $P_4$ . The block at the very left is the genesis block. Finalized blocks are drawn in solid black, blocks corresponding to positions of honest parties with a dashed pattern. The dashed arrows point to `lastFinal` of the parties having their positions at the origins of the arrows. In this example,  $P_3$  and  $P_4$  have not yet learned about the third finalized block. The dotted node does not belong to `FinalTree` because it is not on a path through `lastFinal` of any honest party. Everything else is part of `FinalTree`. The thick blue line corresponds to `Path2`.

paths to contain `data` corresponding to the last proposal of some honest party at the time the block was first added. This requirement is discussed in more detail in Section 3.2; here we only assume the adversary can add arbitrary data to blocks, which is implicit in the model since blocks are chosen by the adversary.

Figure 1 shows an example of a tree with the relevant variables. We conclude with a formal specification of the functionality  $\mathcal{F}_{\text{TREE}}$ .

**Functionality  $\mathcal{F}_{\text{TREE}}$**

**Initialization**

```

for  $P_i \in \mathcal{P}$  do
   $\text{Tree}_i := ((V_i := \{G\}, E_i := \emptyset), r_i := G)$ 
   $\text{Pos}_i := G, \text{lastFinal}_i := G, \text{lastProp}_i := \perp$ 
end for

```

**Interface for party  $P_i \in \mathcal{P}$**

**Input:** `GETTREE`  
**return** copy of  $(\text{Tree}_i, \text{Pos}_i, \text{lastFinal}_i)$  to  $P_i$

**Input:**  $(\text{SETFINAL}, R)$   
**if**  $\text{lastFinal}_i \in \text{PathTo}(\text{Tree}_i, R)$  **then**  
    $\text{lastFinal}_i := R$   
   send  $(\text{SETFINAL}, P_i, R)$  to adversary  
**end if**

**Input:**  $(\text{PROPDATA}, \text{data})$   
 $\text{lastProp}_i := \text{data}$   
 send  $(\text{PROPDATA}, P_i, \text{data})$  to adversary

**Interface for adversary**

<pre> <b>Input:</b> (ADDDNODE, <math>P_i, B, p</math>) <span style="float: right;">// add <math>B</math> as child of <math>p</math> in <math>\text{Tree}_i</math></span> <b>if</b> <math>B \notin V_i</math> and <math>\text{HonestTree}</math> remains a tree after adding <math>B</math> as child of <math>p</math> in <math>\text{Tree}_i</math> <b>then</b>   <math>V_i := V_i \cup \{B\}</math>   <math>E_i := E_i \cup \{\{p, B\}\}</math>   <b>if</b> <math>p = \text{Pos}_i</math> <b>then</b>     <math>\text{Pos}_i := B</math>   <b>end if</b> <b>end if</b>  <b>Input:</b> (SETPosition, <math>P_i, B</math>) <span style="float: right;">// set position of <math>P_i</math> to <math>B</math></span> <b>if</b> <math>B</math> is a leaf of <math>\text{Tree}_i</math> <b>then</b>   <math>\text{Pos}_i := B</math> <b>end if</b> </pre>
---

### 3.2 Desirable Properties and Bounds

We now state some important assumptions and properties of blockchain protocols in our model. All properties are essentially restrictions on how the adversary can grow the trees. The definitions below involve a number of so-called *hidden bounds*. These parameters are supposed to exist (possibly depending on the security parameter), but are *not* made public to the parties. In particular, they cannot be used in the protocols; one may only assume in proofs that these parameters exist. We require that the bounds are polynomial in the security parameter.

We first define two properties that are not directly related to the security of the blockchain, but rather follow from the assumptions on the network and how the protocols are supposed to work. Widely considered properties of blockchain protocols include common prefix, chain growth, and chain quality, introduced in [12]. We recast the former two in our model. Since our model does not have a notion of a party creating a block, chain quality is not directly applicable. We instead formalize two properties we need for our protocol that are implied by chain quality and chain growth.

**Tree propagation.** There is a hidden bound  $\Delta_{\text{tree}}$  such that for all honest parties  $P_i \in \text{Honest}$ ,  $\text{HonestTree}_i^{\tau - \Delta_{\text{tree}}} \subseteq \text{Tree}_i^\tau$ . This models the case that when a honest party sees a chain, then eventually all honest parties will see that chain.

**New root taking effect.** There is a hidden parameter  $\Delta_{\text{final}}$ , that intuitively is the time that it takes for a SETFINAL command to take effect. We require that  $R \in \text{Path}_i$  after  $\Delta_{\text{final}}$  time units since  $P_i$  gave the command (SETFINAL,  $R$ ). This means that the adversary must in reasonable time put  $P_i$  under the finalized block  $R$ , and when this happens  $\text{Pos}_i$  will stay in a path under  $R$  forever.

**Common prefix.** The common-prefix property intuitively means that if any two honest parties look far enough back in their own tree, then they will be on the same path to the root. We formally define this property for  $\xi \in \mathbb{N}$ , which determines how far parties have to look back, via the predicate  $\text{Prefix}(\xi)$ :

$$\text{Prefix}(\xi) \quad \equiv \quad \forall \tau_1, \tau_2 \in \mathbb{N}, \tau_1 \leq \tau_2, \forall P_1, P_2 \in \text{Honest} \quad (\text{Path}_1^{\tau_1})^{[\xi]} \preceq \text{Path}_2^{\tau_2},$$

where  $(\cdot)^{[\xi]}$  denotes the operation of removing the last  $\xi$  blocks and  $\preceq$  is the prefix relation.

**Chain growth.** The chain-growth property guarantees that chains of honest parties grow within time  $\Delta_{\text{growth}}$  at least at rate  $\rho_{\text{growth}}$  and at most at rate  $\rho'_{\text{growth}}$ ,  $0 < \rho_{\text{growth}} \leq \rho'_{\text{growth}}$ . Note that the chain of party  $P_i$  in our model corresponds to  $\text{Path}_i$  and its length is equal to  $\text{Depth}(\text{Pos}_i)$ . We thus use the following formalization:

$$\begin{aligned} \text{ChainGrowth}(\Delta_{\text{growth}}, \rho_{\text{growth}}, \rho'_{\text{growth}}) &:\equiv \forall \tau \in \mathbb{N} \forall P_i \in \text{Honest} \\ &\rho_{\text{growth}} \cdot \Delta_{\text{growth}} \leq \text{Depth}(\text{Pos}_i^{\tau + \Delta_{\text{growth}}}) - \text{Depth}(\text{Pos}_i^\tau) \leq \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}. \end{aligned}$$

*Remark 4.* Some papers, e.g., [23, 10] consider a stronger variant of chain growth by comparing the lengths of chains from two different honest parties at different times. For our purposes, the simple definition above that only considers a single party is sufficient.

*Remark 5.* Note that earlier formalizations of chain growth only considered a lower bound on growth. It turns out that for several non-trivial uses of blockchains, one also needs an upper bound as introduced in [23]. It is for instance impossible to create a finalization layer which keeps being updated if the underlying blockchain can grow by an unbounded length in one time unit. For any length  $L$  that you might want as a bound on how far finalization can fall behind, the blockchain could grow by  $L + 1$  blocks faster than it takes one message in the finalization protocol to propagate. In such a model one would get trivial impossibility of designing updated finalization layers.

**Bounded path growth.** The chain growth property above only bounds the growth of the positions of honest parties. That is, it does not prevent purely dishonest chains to grow faster. To prove the updated property of our finality layer, we need the following slightly stronger property: Denote by  $\tau(B)$  the first time a block  $B$  appeared in  $\text{HonestTree}$ . Bounded path growth with parameters  $\Delta_{\text{pgrowth}}$  and  $\rho_{\text{pgrowth}}$  says that

$$\begin{aligned} \forall \tau \in \mathbb{N} \forall P_i \in \text{Honest} \forall B_1, B_2 \in \text{Path}_i^\tau \quad &((\text{Depth}(B_2) \geq \text{Depth}(B_1) + \Delta_{\text{pgrowth}}) \\ &\rightarrow \text{Depth}(B_2) - \text{Depth}(B_1) \leq \rho_{\text{pgrowth}} \cdot (\tau(B_2) - \tau(B_1))). \end{aligned}$$

This means that for any two blocks with sufficient distance on the path of an honest party, the path between these blocks cannot have grown arbitrarily fast. If we assume chain quality, this property follows from bounded chain growth: If a certain fraction of the blocks on this path have been generated by honest parties, the growth of this path gets bounded since honest parties are subject to chain growth. Note that we still allow completely dishonest paths to grow arbitrarily as long as no honest party ever moves there.

**Proposal quality.** This property is formally unique to our finalization friendliness involving the `PROPDATA` command, but it is closely related to chain quality as discussed next. *Proposal quality* with parameter  $\ell_{\text{PQ}} \in \mathbb{N}$  means that at any time  $\tau$ , for all honest  $P_i \in \text{Honest}$ , and for all  $\ell_{\text{PQ}}$  consecutive blocks  $B_1, \dots, B_{\ell_{\text{PQ}}}$  in  $\text{Path}_i^\tau$ , there exists a block  $B' \in \{B_1, \dots, B_{\ell_{\text{PQ}}}\}$  that was added to  $\text{HonestTree}$  at time  $\tau'$  and an honest party  $P_j \in \text{Honest}$  such that  $\text{lastProp}_j^{\tau'}$  is contained in (the `data` field of) a block on  $\text{PathTo}(\text{HonestTree}^{\tau'}, B')$ . In other words, at the time  $B'$  is added to  $\text{HonestTree}$ , if the last proposal of some honest party is not already contained in an ancestor of  $B'$ , that proposal is included in  $B'$ .

Note that proposal quality can be achieved by any blockchain that has chain quality: Chain quality with parameters  $\mu$  and  $\ell'$  says that within any sequence of at least  $\ell'$  consecutive blocks in an honest path, the ratio of blocks generated by honest parties is at least  $\mu$ . This implies that for  $\ell_{\text{PQ}} \geq \ell'$  with  $\ell_{\text{PQ}} \cdot \mu \geq 1$ , at least one block within  $\ell_{\text{PQ}}$  consecutive blocks is generated by

an honest party. Whenever honest parties add a block  $B'$ , they can check whether their last proposed **data** is already contained in a previous block, and if not, they include that **data** in  $B'$ . This yields proposal quality with parameter  $\ell_{\text{pq}}$ .

**Dishonest chain growth.** We here introduce a new property that is needed for the more efficient variant of our protocol. It is concerned with how fast dishonest parties can grow chains. The usual chain growth property bounds the growth of the positions of honest parties. We here consider a bound on the growth of chains no honest party is positioned on. In typical blockchain protocols, bakers extend the chains at their positions, i.e., we are here interested in how fast dishonest parties can grow their chains.

**Definition 5.** For  $\tau \in \mathbb{N}$  and  $B \in \text{FinalTree}^\tau$ , let  $\hat{B}$  to be the deepest ancestor of  $B$  in  $\text{FinalTree}^\tau$  that has at some point been on an honest path,

$$\hat{B} := \underset{B' \in \text{PathTo}(\text{FinalTree}^\tau, B) \cap (\cup_{\tau' \leq \tau} \cup_{P_i \in \text{HonestPath}_i^{\tau'}})}{\text{argmax}} \{\text{Depth}(B')\},$$

and let  $\hat{\tau}_B$  be the first time  $\hat{B}$  appeared in an honest path:

$$\hat{\tau}_B := \min \left\{ \tau' \in \mathbb{N} \mid \hat{B} \in \bigcup_{P_i \in \text{Honest}} \text{Path}_i^{\tau'} \right\}.$$

Let  $\Delta_{\text{growth}} \in \mathbb{N}$ , and  $\rho_{\text{disgro}} \geq 0$ . We define the *dishonest chain growth* with parameters  $\Delta_{\text{growth}}, \rho_{\text{disgro}}$  to hold if for all  $B$  in  $\text{FinalTree}^\tau$  such that  $\tau - \hat{\tau}_B \geq \Delta_{\text{growth}}$ , the length of the path from  $\hat{B}$  to  $B$  is bounded by  $\rho_{\text{disgro}} \cdot (\tau - \hat{\tau}_B)$ , and by  $\rho_{\text{disgro}} \cdot \Delta_{\text{growth}}$  if  $\tau - \hat{\tau}_B < \Delta_{\text{growth}}$ :

$$\text{DCGrowth}(\Delta_{\text{growth}}, \rho_{\text{disgro}}) := \forall \tau \in \mathbb{N} \forall B \in \text{FinalTree}^\tau \\ \text{Depth}(B) - \text{Depth}(\hat{B}) \leq \rho_{\text{disgro}} \cdot \max\{\Delta_{\text{growth}}, \tau - \hat{\tau}_B\}.$$

Intuitively, the path from  $\hat{B}$  to  $B$  is grown only by dishonest parties since no honest party was ever positioned on it, and  $\tau - \hat{\tau}_B$  is the time it took to grow this path. Taking the maximum over  $\Delta_{\text{growth}}$  and  $\tau - \hat{\tau}_B$  allows that for periods shorter than  $\Delta_{\text{growth}}$ , the growth can temporarily be faster. Note that it is possible that the adversary knows  $\hat{B}$  before it appears on an honest path or even in  $\text{FinalTree}$ . In that case, there is actually more time to grow the chain. The definition thus implicitly excludes that dishonest parties know blocks honest parties will have on their path far in the future.

*Remark 6.* A more straightforward definition of dishonest chain growth might appear to be something like the following: The length of any path between two nodes that have never been on any honest path and appeared in  $\text{FinalTree}$  within a time interval of length  $\Delta_{\text{growth}}$  is bounded. The problem with that definition is that dishonest parties can grow a path just “in their heads” and then publish the whole chain at once. Hence, dishonest chains in this sense can grow arbitrarily long within a very short time. To obtain a meaningful notion, we need to estimate at what point in time dishonest parties have started growing their chains. This estimate corresponds to  $\hat{\tau}_B$  in the above definition.

## 4 The Finality Layer

### 4.1 Formalization

We now formalize the properties we want from a finality layer. The finality layer is a protocol that interacts with a blockchain as described above and uses the `SETFINAL`-command. The properties correspond to restrictions on how the `SETFINAL`-command is used.

**Definition 6.** Let  $\Delta, k \in \mathbb{N}$ . We say a protocol achieves  $(\Delta, k)$ -*finality* if it satisfies the following properties.

**Chain-forming:** If an honest party  $P_i \in \text{Honest}$  inputs  $(\text{SETFINAL}, R)$  at time  $\tau$ , we have  $\text{lastFinal}_i \in \text{PathTo}(\text{Tree}_i^\tau, R)$  and  $R \neq \text{lastFinal}_i$ .

**Agreement:** For all  $l \in \mathbb{N}$  we have that if the  $l$ -th inputs  $(\text{SETFINAL}, \cdot)$  of honest  $P_i$  and  $P_j$  are  $(\text{SETFINAL}, R_i)$  and  $(\text{SETFINAL}, R_j)$ , respectively, then  $R_i = R_j$ .

**$\Delta$ -Updated:** At any time  $\tau$ , we have

$$\max_{P_i \in \text{Honest}} \text{Depth}(\text{Pos}_i^\tau) - \min_{P_i \in \text{Honest}} \text{Depth}(\text{lastFinal}_i^\tau) \leq \Delta.$$

**$k$ -Support:** If honest  $P_i \in \text{Honest}$  inputs  $(\text{SETFINAL}, R)$  at time  $\tau$ , there are at least  $k$  honest parties  $P_j \in \text{Honest}$  and times  $\tau_j \leq \tau$  such that  $R \in \text{Path}_j^{\tau_j}$ .

The chain-forming property guarantees that all finalized blocks are descendants of previously finalized blocks. That is, the finalized blocks form a chain and in particular, there are no forks. Agreement further guarantees that all honest parties agree on the same finalized blocks. This means that all ancestors of the last finalized block can be trusted to never disappear from the final chain of any honest party. The updated property ensures that the final chain grows roughly at the same speed as the underlying blockchain. This also implies liveness of the finalization protocol if the underlying blockchain keeps growing, in the sense that all honest parties will keep finalizing new blocks.

The property  $k$ -support finally ensures that whenever a block becomes finalized, at least  $k$  parties had this block on their path at some point. The smaller  $k$  is, the more honest parties need to “jump” to a new position under the next finalized block, which can cause rollbacks. We want to guarantee that *at least*  $k \geq 1$  because otherwise we finalize blocks that are not supported by any honest party, what would inevitably lead to bad chain quality.

We present our finalization protocol Afgjort in Section 5, and later in Section 7 we show that the proposed protocol satisfies the above properties.

**On long range attacks.** In a long-range attack on a proof-of-stake blockchain, an attacker can in several plausible situations, given enough time, grow a deeper alternative chain from far back in time that overtakes the real one [13]. To prevent long-range attacks, many existing proof-of-stake protocols use some form of checkpointing, which prevents honest parties from adopting such alternative chains.[13] For example, Ouroboros [15] and Ouroboros Praos [10] use a chain-selection rule that selects the longest chain that does not fork from the current chain more than some parameter  $k$  blocks. The rule ensures that everything more than  $k$  blocks ago is final and prevents long-range attacks. The parameter  $k$  needs to be chosen such that  $\text{Prefix}(k)$  holds, which can be problematic in practice since a correct bound on the common prefix needs to be known. If a finality layer such as Afgjort is added to the blockchain, this finality provides checkpointing, which is then not needed anymore in the underlying blockchain. Therefore, one can use simpler chain selection rules, such as choosing the longest chain. For this to be secure, we need that the time required to finalize the next block is shorter than the time needed to mount a successful long-range attack. To put this into perspective, the analysis by Gaži et al. [13] of a hypothetical proof-of-stake blockchain suggests that, e.g., an attacker with 0.3 relative stake needs more than 5 years for the attack considered there.

## 4.2 On Proving UC Security

We here discuss briefly how to model security in the UC framework and how the proof that the finality layer has the desired properties translates into a UC proof. The reader not familiar with the UC model or not interested in how to translate the property based proof into a UC proof can safely skip this section.

**Ideal functionality.** To model UC security, we introduce the ideal functionality  $\mathcal{F}_{\text{FIN TREE}}^{\Delta, k}$  with parameters  $\Delta, k \in \mathbb{N}$ . Roughly speaking, it is a variant of  $\mathcal{F}_{\text{TREE}}$  making sure that finalizations respect all desired properties of a finality layer. Compared to the functionality  $\mathcal{F}_{\text{TREE}}$ , finalized blocks are not set by the parties, but by the adversary. The ideal functionality then makes sure the adversary grows the tree and finalizes blocks such that the properties corresponding to chain-forming, agreement,  $\Delta$ -updated, and  $k$ -support hold. Note that since the adversary must respect all desired properties, giving it control over finalization is not a weakness of the functionality. More technical differences to  $\mathcal{F}_{\text{TREE}}$  are that we drop the payload data of blocks, which was used only for implementation purposes of the finality layer, and to enforce the agreement property,  $\mathcal{F}_{\text{FIN TREE}}^{\Delta, k}$  internally keeps track of all previously finalized blocks. We formally define the ideal functionality as follows.

**Functionality**  $\mathcal{F}_{\text{FIN TREE}}^{\Delta, k}$

**Initialization**

```

for  $P_i \in \mathcal{P}$  do
   $\text{Tree}_i := ((V_i := \{G\}, E_i := \emptyset), r_i := G)$ 
   $\text{Pos}_i := G, \text{lastFinal}_i := G$ 
   $\text{numFinal}_i := 1, \text{final}_i^{\text{numFinal}_i} := G$ 
end for

```

**Interface for party  $P_i \in \mathcal{P}$**

**Input:** GETTREE  
**return** copy of  $(\text{Tree}_i, \text{Pos}_i, \text{lastFinal}_i)$  to  $P_i$

**Interface for adversary**

**Input:** (ADDNODE,  $P_i, B, p$ ) // add  $B$  as child of  $p$  in  $\text{Tree}_i$   
**if**  $B \notin V_i$  **and** HonestTree remains tree after adding  $B$  as child of  $p$  in  $\text{Tree}_i$   
**and**  $\forall P_j \in \text{Honest}$  ( $\text{Depth}(p) + 1 \leq \text{Depth}(\text{lastFinal}_j) + \Delta$ ) **then** //  $\Delta$ -updated  
 $V_i := V_i \cup \{B\}$   
 $E_i := E_i \cup \{\{p, B\}\}$   
**if**  $p = \text{Pos}_i$  **then**  
 $\text{Pos}_i := B$   
**end if**  
**end if**

**Input:** (SETPosition,  $P_i, B$ ) // set position of  $P_i$  to  $B$   
**if**  $B$  is a leaf of  $\text{FinalTree}_i$  **then**  
 $\text{Pos}_i := B$   
**end if**

**Input:** (DECLAREFINAL,  $P_i, R$ ) // declare block  $R$  as final for  $P_i$   
**if**  $\text{lastFinal}_i \in \text{PathTo}(\text{Tree}_i, R)$  **and**  $R \neq \text{lastFinal}_i$  // chain-forming  
**and**  $\forall P_j \in \text{Honest}$  ( $\text{numFinal}_j > \text{numFinal}_i \rightarrow R = \text{final}_j^{\text{numFinal}_i+1}$ ) // agreement  
**and**  $R$  has been on  $\text{Path}_j$  for at least  $k$  honest parties  $P_j$  **then** //  $k$ -support  
 $\text{numFinal}_i := \text{numFinal}_i + 1$   
 $\text{lastFinal}_i := \text{final}_i^{\text{numFinal}_i} := R$



end if

**Network model and assumed hybrids.** We want to implement  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  on top of  $\mathcal{F}_{\text{TREE}}$ , i.e., we assume the protocol has access to  $\mathcal{F}_{\text{TREE}}$ , which means in UC terminology that  $\mathcal{F}_{\text{TREE}}$  is assumed as a *hybrid*. To model our assumptions on the partially synchronous network, we further assume a clock functionality and a network functionality  $\mathcal{F}_{\text{NET}}^{\Delta_{\text{net}}}$ , which provides the guarantees discussed in Section 2.1, where  $\Delta_{\text{net}}$  is a parameter polynomial in the security parameter. We then require from a UC protocol  $\Pi_{\text{Fin}}$  given the required hybrids to UC securely realize  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  for all  $\Delta_{\text{net}}$ , where  $\Delta_{\text{net}}$  is not given to the protocol and  $\Delta$  and  $k$  can depend on  $\Delta_{\text{net}}$ .

The finality layer we present in this paper further makes use of signatures and a lottery that can be implemented by a VRF (cf. Section 6.3). It is therefore convenient to also model signatures and VRFs as hybrid functionalities. Modeling all these hybrids involves several subtleties and is beyond the scope of this paper. Hybrids with similar guarantees have been modeled, e.g., in [3] and we refer the reader to that paper for more details.

**Constructing a UC protocol and simulator.** Given a finality layer and the hybrids discussed above, it is straightforward to construct a protocol  $\Pi_{\text{Fin}}$  implementing  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$ : Simply run the finality layer on top of  $\mathcal{F}_{\text{TREE}}$  and forward GETTREE request and the respective answers.

Notice that in  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  there are no inputs to honest parties that are kept secret from the adversary/simulator. We can therefore construct a UC simulator by running the protocol  $\Pi_{\text{Fin}}$  on the real inputs for all parties (including the honest ones). The simulator updates the variables  $\text{Tree}_i, \text{lastFinal}_i, \text{Pos}_i$  in  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  to have exactly the values they have in the simulated execution of the protocol. This gives a *perfect* simulation as long as  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  allows the simulator to update  $\text{Tree}_i, \text{lastFinal}_i, \text{Pos}_i$  as needed. It can be seen that  $\mathcal{F}_{\text{FIN TREE}}^{\Delta,k}$  allows the simulator to do so exactly as long as the finality layer has the properties chain-forming, agreement,  $\Delta$ -updated, and  $k$ -support.

### 4.3 Impossibility of Better Bounds for the Number of Corruptions

We next show that our protocol is optimal in its corruption bound, and that the hope for a  $t \geq n/3$  partially synchronous finality layer is void.

**Theorem 1.** *A partially synchronous finality layer for  $n$  parties with Agreement and Updated must have  $t < n/3$ .*

*Proof.* Assume for contradiction that we have a partially synchronous finality layer for  $n$  parties which tolerates that  $t = n/3$ . Assume that it has Agreement and  $\Delta$ -Updated for some  $\Delta$ . We divide the set of parties into three set  $P_1, P_2$ , and  $P_3$ , each of size  $t$ .

Let  $\Delta_{\text{Fast}}$  be some fixed bound on all eventual bounds in the model. In particular, the model will deliver all blocks and messages before time  $\Delta_{\text{Fast}}$ .

For  $e = 1, 2$  consider the following experiment  $E_e$ : We run only  $P_e \cup P_3$ . We deliver all blocks and messages before time  $\Delta_{\text{Fast}}$ . We grow a tree which is just a long chain of empty blocks  $B_0^e, B_1^e, B_2^e, B_3^e, \dots$  where  $B_0^e$  is the genesis block. We add a new block every  $\Delta_{\text{Fast}}$  seconds. Since the finality layer is  $\Delta$ -updated for some  $\Delta$ , it will eventually finalize some block  $B_{F_e}^e$  for  $F_e > 0$ . Let  $T^e$  be an upper bound such that the protocol finalizes a block before time  $T^e$  with probability at least  $2/3$ .

Let  $\Delta_{\text{Slow}} = T^1 + T^2 + 1$ . Consider the following experiment  $\hat{E}^e$ . We set all the eventuality bounds of the model to be  $\Delta_{\text{Slow}}$ . Yet, we still deliver all messages and blocks before time  $\Delta_{\text{Fast}}$ . In  $\hat{E}^e$  the protocol finalizes a block before time  $T^e$  with probability at least  $2/3$ . This reason is that  $E^e$  and  $\hat{E}^e$  are identical to the protocol as in  $\hat{E}^e$  we still deliver all message and blocks before  $\Delta_{\text{Slow}}$ , and in the partially synchronous model the parties do not see the eventuality bound.

Consider the following experiment  $E$ . We set all the eventuality bounds of the model to be  $\Delta_{\text{Slow}}$ . We make two copies of the parties in  $P_3$ . Call them  $P_3^1$  and  $P_3^2$ . We run  $P_1 \cup P_3^1$  together and we run  $P_2 \cup P_3^2$ . We set the eventuality bound to  $\Delta_{\text{Slow}}$ . We grow a tree with two branches  $B_0, B_1^1, B_2^1, B_3^1, \dots$  and  $B_0, B_1^2, B_2^2, B_3^2, \dots$ , where  $B_0$  is genesis. We add a new block to each chain every  $\Delta_{\text{Fast}}$  seconds. During the first  $\Delta_{\text{Slow}}$  seconds we only show  $B_0, B_1^1, B_2^1, B_3^1, \dots$  to  $P_1 \cup P_3^1$  and we only show  $B_0, B_1^2, B_2^2, B_3^2, \dots$  to  $P_2 \cup P_3^2$ . Furthermore, during the first  $\Delta_{\text{Slow}}$  we propagate no messages between parties in  $P_1 \cup P_3^1$  and parties in  $P_2 \cup P_3^2$ . But inside each group  $P_e \cup P_3^1$  we still deliver all messages and blocks before time  $\Delta_{\text{Fast}}$ . Note that  $P_e \cup P_3^1$  has exactly the same view as in  $\hat{E}^e$ . So by time  $\Delta_{\text{Slow}}$  the parties finalizes a block  $B_{F_e}^e$  with probability at least  $2/3$ . So with probability at least  $1/3$  (by a union bound), by time  $\Delta_{\text{Slow}}$  the protocol finalized two blocks  $B_{F_1}^1$  and  $B_{F_2}^2$  with  $F_1 > 0$  and  $F_2 > 0$ . These block are different. Since the experiment is consistent with a run of the model with  $P_3$  being Byzantine corrupted and the eventuality bound being  $\Delta_{\text{Slow}}$ , this violated Agreement.  $\square$

## 5 Afgjort Protocol

In this section we describe our finality protocol. The protocol consists of a collection of algorithms that interacts with each other making finalization possible. In the main routine `FinalizationLoop`, parties regularly try to finalize new blocks by invoking the `Finalization` algorithm.

The goal of `Finalization` is to make all the honest parties agree on a common node  $R$  at depth  $d$  of their own local trees. This finalization happens with a “delay” of  $\gamma$  blocks, i.e., honest parties will only start the agreement process once their `Pathi` has length at least  $d + \gamma$ . If the honest parties successfully agree on a block  $R$ , they will finalize it by re-rooting their own local tree for the new root  $R$ . If no agreement is achieved the parties increase the finalization delay  $\gamma$  and re-run the agreement protocol with the new delay; this process repeats until an agreement is met. The idea is that once  $\gamma$  is large enough, there will be only one candidate for a final block at depth  $d$ , which will then successfully be agreed on.

**Justifications.** We introduce the concept of *justifications*. A justification  $J$  is a predicate which takes as input a value  $v$  and the local state of a party (in particular its tree). We say that the value  $v$  is  $J$ -justified for party  $P_i$  if the predicate evaluates to true for  $v$  and  $P_i$ 's state.

**Definition 7.** For a value  $v$  that can be sent or received, a *justification* is a predicate  $J$  which can be applied to  $v$  and the local state of a party. Justifications are monotone with respect to time, i.e, if  $J$  is true for a value  $v$  at party  $P$  at time  $\tau$ , then  $J$  is true (at that party) any time  $\geq \tau$ .<sup>3</sup>

An example is the following justification  $J_{\text{INTREE}}^{d,\gamma}$  where the value  $v$  is a block.

**Definition 8.** A block  $B$  is  $J_{\text{INTREE}}^{d,\gamma}$ -justified for party  $P_i$  if  $B$  is at depth  $d$  of a path of length at least  $d + \gamma$  in `FinalTreei`.

---

<sup>3</sup>Our finality layer repeatedly executes finalization in the `FinalizationLoop`. We require monotonicity only for each iteration separately, i.e., justified values can become unjustified in later iterations. We do not formalize this to simplify the presentation. This can in fact happen for the justification we use since they are with respect to `FinalTree` and nodes get removed from `FinalTree` after a successful finalization.

We call such justification *eventual*, in the sense that if a block is  $J_{\text{INTREE}}^{d,\gamma}$ -justified for a honest party  $P_i$ , then it will be eventually  $J_{\text{INTREE}}^{d,\gamma}$ -justified for any other honest party. This is a direct consequence of tree propagation.

**Definition 9.** A justification  $J$  is an *eventual justification* if for any value  $v$  and parties  $P_i$  and  $P_j$  the following holds. If  $v$  becomes justified for party  $P_i$  at time  $\tau$  and both  $P_i$  and  $P_j$  from that point in time are live and honest, then eventually  $v$  becomes justified for party  $P_j$ .

**Keeping up with the tree growth.** After a block at some depth  $d$  has successfully been finalized, one needs to choose the next depth  $d'$  for finalization. For the updated property, this new depth should ideally be chosen such that  $d' - d$  corresponds to how long the chain grows during one finalization round. In case this value was set too small before, we need to temporarily increase it to catch up with the chain growth. In the finalization protocol, parties use the subroutine `NextFinalizationGap`, which returns an estimate  $\ell$ , and set the next depth to  $d' = d + \ell$ . We discuss this procedure in Section 5.1.

**Finalization witnesses.** After a successful finalization, parties use `PROPDATA` to add a *finalization witness*  $\mathbb{W}$  to the blockchain. A finalization witness has the property that whenever a valid witness for some  $R$  exists, then  $R$  indeed has been finalized. In our protocols, such a witness consists of  $t + 1$  signatures on the outcome of the finalization. We put such witnesses on the blockchain for two reasons: First, it allows everyone (including parties not on the finalization committee) to verify which blocks have been finalized. Secondly, we use the witnesses for computing the next finalization gap (see Section 5.1).

**Finalization.** The finalization loop algorithm `FinalizationLoop` is used to periodically invoke the finalization procedure to finalize blocks at increasing depths.

#### Protocol `FinalizationLoop(sid)`

Party  $P_i$  does the following:

- 1: Set  $\gamma := 1$ ,  $d := 5$ , and  $\ell := 5$
- 2: **for**  $\text{ctr} = 1, 2, 3, \dots$  **do**
- 3:   Set  $\text{faid} := (\text{sid}, \text{ctr})$
- 4:   Run  $(R, \mathbb{W}, \gamma') := \text{Finalization}(\text{faid}, J_{\text{INTREE}}^{d,\gamma}, d, \gamma)$
- 5:   Invoke (`SETFINAL`,  $R$ )
- 6:   Invoke (`PROPDATA`,  $\mathbb{W}$ )
- 7:   Set  $\ell := \text{NextFinalizationGap}(\text{lastFinal}_i, \ell)$
- 8:   Set  $d := d + \ell$
- 9:   Set  $\gamma := \lceil 0.8 \cdot \gamma' \rceil$
- 10: **end for**

The basic building block of our finality protocol is the algorithm `Finalization` which is used to agree on a final block for depth  $d$ . The algorithm takes as inputs a unique id  $\text{faid}$ , a depth  $d$ , and an integer  $\gamma \geq 1$  corresponding to number of blocks that need to occur under the block that is attempted to be finalized. If there is no agreement on a final block,  $\gamma$  is doubled and the parties try again. Once the parties have agreed on a block  $R$ , the algorithm outputs  $R$  and the value  $\gamma$ . The finalization loop then again reduces  $\gamma$  by multiplying it with 0.8 so that over time, a good value for  $\gamma$  is found. The factor 0.8 is not significant and only used for simplicity here. In practice, one can use some heuristics to optimize efficiency.




Figure 2: Computing the finalization gap. Finalized blocks are drawn in solid black, a dashed arrow from  $X$  to  $Y$  indicates that  $X$  contains a finalization witness for  $Y$ . Block  $F'$  contains a finalization witness for  $F$ , but no block up to block  $B$  contains a witness for  $F'$ . Since  $F \neq F'$ , the gap  $\ell$  is increased from  $\ell = 2$  to  $\ell = 4$ .

**Protocol Finalization**( $\text{faid}, J_{\text{INTREE}}^{d,\gamma}, d, \gamma$ )

Party  $P_i$  does the following:

- 1: **repeat**
- 2:   Set  $\text{baid} := (\text{faid}, \gamma)$
- 3:   Wait until  $\text{lastFinal}_i$  is on  $\text{Path}_i$  and  $\text{Path}_i$  has length  $\geq d + \gamma$
- 4:   Let  $B_d$  be the block at depth  $d$  on  $\text{Path}_i$
- 5:   Run  $(R, \mathbb{W}) := \text{WMVBA}(\text{baid}, J_{\text{INTREE}}^{d,\gamma})$  with input  $B_d$
- 6:   **if**  $R = \perp$  **then** set  $\gamma := 2\gamma$  **end if**
- 7: **until**  $R \neq \perp$
- 8: **Output**  $(R, \mathbb{W}, \gamma)$

The Finalization algorithm relies on a weak multi-valued Byzantine agreement protocol, that we call WMVBA. We discuss the general idea of the WMVBA protocol next, and we defer a more detailed treatment to Section 6.

**WMVBA.** The input to the WMVBA protocol are proposals in the form of blocks; we require all proposals in WMVBA to be  $J_{\text{INTREE}}^{d,\gamma}$  justified, i.e., the block proposal must be in the tree of honest parties at depth  $d$  and height  $\gamma$ . This prevents the corrupted parties from proposing arbitrary blocks. By the design of the Finalization protocol, where  $\gamma$  is doubled between the calls to WMVBA it will quickly happen that all honest parties agree on the block  $B$  at the depth where we try to finalize. Furthermore, by the assumed properties of the underlying blockchain, it will also happen that no other block is  $J_{\text{INTREE}}^{d,\gamma}$ -justified. This moment where  $B$  is the only valid proposal is a sweet spot for agreement as we have pre-agreement. However, the sweet spot is temporary; if enough time passes, the corrupted parties could grow a long enough alternative chain which would make another proposal legitimate. We therefore want to quickly exploit the “sweet spot”.

For  $n > 3t$  we construct in Section 6 a WMVBA protocol which consists of two subprotocols called Freeze and ABBA. First the subprotocol Freeze is used to boil down the agreement problem to a choice between either at most one block  $B$  or the decision that there was no pre-agreement. The output of Freeze is a block or  $\perp$  and is again justified by some justification. After Freeze terminates one of two will happen: If there was a pre-agreement (as is in the case of the sweet spot), then all parties decided on the same block  $B$ . However, if there was no pre-agreement, it might be the case that some parties have decided on a block  $B$  while others have decided on  $\perp$ . WMVBA therefore uses the binary Byzantine agreement protocol ABBA which decides which of the two cases happened. Given the decision of ABBA, parties can then either output the agreed block or output  $\perp$  to signal disagreement.

## 5.1 Computing the Next Finalization Gap

To measure whether the finalization falls behind, we use the following approach: When a block  $B$  is finalized, let  $F$  be the deepest node for which a finalization witness exists in the path to  $B$ ,

and let  $F'$  be the deepest ancestor of  $B$  that has been finalized. If the chain does not grow too fast, we should get  $F = F'$ . However, if finalization is falling behind the chain a lot,  $B$  has been added to the tree before  $F'$  was finalized, in which case we have  $F \neq F'$ . We use this observation to adjust the gap between finalized blocks: If  $F \neq F'$ , we increase it, otherwise we slightly decrease it. See Figure 2 for a visualization. Below is a formal description of the procedure.

**Protocol** NextFinalizationGap( $B, \ell$ )

```

1: Let  $F$  be the deepest node in HonestTree for which a valid finalization witness exists on
   PathTo(HonestTree,  $B$ ) (let  $F := G$  if this does not exist)
2: if  $\text{Depth}(B) - \text{Depth}(F) = \ell$  then
3:   Output  $\lceil 0.8 \cdot \ell \rceil$ 
4: else
5:   Output  $2 \cdot \ell$ 
6: end if

```

The values 0.8 and 2 are again somewhat arbitrary and can in practice be optimized for better results.

We next show that NextFinalizationGap increases  $\ell$  if and only if the depth of the next block to be finalized is deeper than the deepest current block (plus a certain margin). This means that eventually NextFinalizationGap will have adjusted  $\ell$  such that after finalizing a block, the depth of the next block to be finalized is set to a value close to the deepest position of an honest party. This will help us obtain the updated property. The proof requires that the underlying blockchain has bounded path growth and some proposal quality. Furthermore, we have to assume that the finality layer has at least 1-support, which we prove later for our protocol.

**Lemma 1.** *Assume the underlying blockchain satisfies bounded path growth with parameters  $\Delta_{\text{pgrowth}}$  and  $\rho_{\text{pgrowth}}$ , and proposal quality with parameter  $\ell_{\text{PQ}}$ . Further assume the finality layer has  $k$ -support for  $k \geq 1$ . Let  $B \in \text{HonestTree}$  be a block that gets finalized at time  $\tau$  (i.e.,  $\tau$  is the first time when a party holds a finalization witness for  $B$ ), let  $d := \text{Depth}(B)$ , and let  $\ell$  be the result of NextFinalizationGap for  $B$ . That is, the next finalized block  $B'$  will be at depth  $d' := d + \ell$ . Further let  $\hat{B}$  be the first block in PathTo(`HonestTree`,  $B'$ ) that was added to `HonestTree after time  $\tau$ , and let  $\hat{d}$  be its depth. If  $d' < \hat{d}$ , then NextFinalizationGap( $B', \ell$ ) will output  $\ell' = 2 \cdot \ell$ . If  $d' > \hat{d} + \rho_{\text{pgrowth}} \cdot \Delta_{\text{net}} + \Delta_{\text{pgrowth}} + \ell_{\text{PQ}}$ , then NextFinalizationGap( $B', \ell$ ) will output  $\ell' = \lceil 0.8 \cdot \ell \rceil$ .`*

*Proof.* First assume  $d' < \hat{d}$ . In this case, no party holds a finalization witness for  $B$  when  $B'$  or any of its ancestors are added to the tree. Thus, the deepest node  $F$  for which a valid finalization witness exists on PathTo(`HonestTree`,  $B'$ ) will not be  $B$ . Hence,  $\text{Depth}(B') - \text{Depth}(F) > \text{Depth}(B') - \text{Depth}(B) = \ell$  and therefore NextFinalizationGap( $B', \ell$ ) outputs  $2 \cdot \ell$  in that case.

Now assume  $d' > \hat{d} + \rho_{\text{pgrowth}} \cdot \Delta_{\text{net}} + \Delta_{\text{pgrowth}} + \ell_{\text{PQ}}$ . Let  $\tilde{B}$  be the deepest block in PathTo(`HonestTree`,  $B'$ ) at time  $\tau + \Delta_{\text{net}}$ . Since we assume the finality layer has 1-support,  $B'$  was at some point on the path of an honest party. We can therefore apply the bounded-path-growth property: If the distance between  $\tilde{B}$  and  $\hat{B}$  is at least  $\Delta_{\text{pgrowth}}$ , then

$$\text{Depth}(\tilde{B}) - \text{Depth}(\hat{B}) \leq \rho_{\text{pgrowth}} \cdot (\tau(\tilde{B}) - \tau(\hat{B})) \leq \rho_{\text{pgrowth}} \cdot (\tau + \Delta_{\text{net}} - \tau).$$

Hence,  $\text{Depth}(\tilde{B}) \leq \hat{d} + \rho_{\text{pgrowth}} \cdot \Delta_{\text{net}} + \Delta_{\text{pgrowth}} =: d_0$ . By definition of  $\tilde{B}$ , this means that all blocks in PathTo(`HonestTree`,  $B'$ ) deeper than depth  $d_0$  are generated after time  $\tau + \Delta_{\text{net}}$ . Since  $\Delta_{\text{net}}$  is an upper bound on the network delay, all honest parties hold a finalization witness for  $B$  from this time on. Proposal quality therefore implies that one of the next  $\ell_{\text{PQ}}$  blocks will contain a finalization witness for  $B$ . Since  $B'$  has depth  $d' > d_0 + \ell_{\text{PQ}}$ , we can conclude that NextFinalizationGap( $B', \ell$ ) outputs  $\lceil 0.8 \cdot \ell \rceil$  in that case.  $\square$

## 5.2 Existence of Unique Justified Proposals

For our more efficient finalization protocol to succeed, we need that there will be a unique justified proposal at some point such that all honest parties will agree on that. More precisely, we need for every depth  $d$  we want to finalize, for all time intervals  $\delta_{\text{freeze}}$  required to run Freeze, for all times  $\tau$  at which we start to finalize a block, and for all sufficiently large  $\gamma$ , there is a time  $\tau_0 \geq \tau$  at which Freeze will succeed, i.e., in the time interval of length  $\delta_{\text{freeze}}$  starting at  $\tau_0$ , there is exactly one block at depth  $d$  that has height at least  $\gamma$ , and all honest parties will have that block on their path. We give a precise formalization below.

**Definition 10.** We say that UJP holds if there exists a polynomial  $\gamma_0(d, \delta_{\text{freeze}}, \tau)$  such that the following conditions are satisfied for all  $d, \tau, \delta_{\text{freeze}} \in \mathbb{N}$ , and for all  $\gamma \geq \gamma_0(d, \delta_{\text{freeze}}, \tau)$ :

1. There exists a time  $\tau_0 \geq \tau$  such that there is an honest party  $P_i \in \text{Honest}$  and  $B \in \text{Path}_i^{\tau_0}$  with  $\text{Depth}(B) = d$  and  $\text{Height}(B) \geq \gamma$ .
2. For the smallest  $\tau_0$  satisfying the first condition and for all  $\tau' \in [\tau_0, \tau_0 + \delta_{\text{freeze}}]$ , there is only one  $B' \in \text{FinalTree}^{\tau'}$  with  $\text{Depth}(B') = d$  and  $\text{Height}(B') \geq \gamma$  (namely  $B' = B$ ).
3. For all  $\tau' \in [\tau_0, \tau_0 + \delta_{\text{freeze}}]$  and for all  $P_j \in \text{Honest}$ , we have  $B \in \text{Path}_j^{\tau'}$ .

**Proving the existence of unique justified proposals.** We finally show that the property from Definition 10 is implied by dishonest chain growth together with standard assumptions on the underlying blockchain.

**Lemma 2.** Assume  $\text{Prefix}(\xi)$  holds for some  $\xi > 0$ , and  $\text{ChainGrowth}(\Delta_{\text{growth}}, \rho_{\text{growth}}, \rho'_{\text{growth}})$  as well as  $\text{DCGrowth}(\Delta_{\text{growth}}, \rho_{\text{disgro}})$  hold for some  $\Delta_{\text{growth}} \in \mathbb{N}$ ,  $\rho_{\text{growth}} > 0$ ,  $\rho'_{\text{growth}}$ , and  $\rho_{\text{disgro}} < \rho_{\text{growth}}$ . Then, UJP holds.

*Proof.* Let  $d, \delta_{\text{freeze}}$ , and  $\tau \in \mathbb{N}$  be arbitrary. Let  $\bar{d} := \max_{B \in \text{FinalTree}^\tau} \text{Depth}(B)$  the maximal depth of any block at time  $\tau$ . We then define

$$\gamma_0 := \max \left\{ \xi + \frac{\rho_{\text{disgro}}(\rho_{\text{growth}}(\delta_{\text{freeze}} + \Delta_{\text{growth}}) + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}})}{\rho_{\text{growth}} - \rho_{\text{disgro}}}, \bar{d} + 1 - d \right\}.$$

Note that  $\gamma_0 > \bar{d} - d$  and  $\gamma_0 \geq \xi$  because  $\rho_{\text{disgro}} < \rho_{\text{growth}}$ . Now let  $\gamma \geq \gamma_0$  and let  $\tau_0$  be the smallest time for which there exists some  $P_i \in \text{Honest}$  such that  $\text{Depth}(\text{Pos}_i^{\tau_0}) \geq d + \gamma$ . Note that this exists because we assume positive chain growth. Let  $B$  be the node on  $\text{Path}_i$  at depth  $d$ . By the choice of  $\gamma_0$ , we have  $\text{Depth}(\text{Pos}_i^{\tau_0}) \geq d + \gamma > \bar{d}$ , and thus,  $\tau_0 > \tau$ . Hence, condition 1 of UJP holds.

We first show that all honest parties have  $B$  on their path during the time interval  $[\tau_0, \tau_0 + \delta_{\text{freeze}}]$ . Let  $\tau' \in [\tau_0, \tau_0 + \delta_{\text{freeze}}]$  and  $P_j \in \text{Honest}$ . We have by  $\text{Prefix}(\xi)$  that  $(\text{Path}_i^{\tau_0})^{\lceil \xi \rceil} \preceq \text{Path}_j^{\tau'}$ . Since  $\text{Depth}(\text{Pos}_i^{\tau_0}) \geq d + \gamma \geq d + \xi$ , we have that  $B \in (\text{Path}_i^{\tau_0})^{\lceil \xi \rceil}$  and thus,  $B \in \text{Path}_j^{\tau'}$ . This proves condition 3 of UJP.

Let  $\tau' \in [\tau_0, \tau_0 + \delta_{\text{freeze}}]$  and let  $B' \in \text{FinalTree}^{\tau'}$  be an arbitrary block that is not a descendant of  $B$  (in particular,  $B' \neq B$ ). Let  $\hat{B}'$  be the deepest ancestor of  $B'$  that has at some point (until  $\tau'$ ) been on an honest path, and let  $\hat{\tau}_{B'}$  be the first time  $\hat{B}'$  appeared on an honest path. Let  $\hat{d}' := \text{Depth}(\hat{B}')$ . We claim that

$$\hat{d}' < d + \xi.$$

To prove this, note that at some time until  $\tau'$ ,  $\text{PathTo}(\text{FinalTree}^{\tau'}, \hat{B}')$  was a prefix of  $\text{Path}_k$  for some honest  $P_k \in \text{Honest}$ . Hence,  $\text{Prefix}(\xi)$  implies that  $\text{PathTo}(\text{FinalTree}^{\tau'}, \hat{B}')$  is a prefix

of  $\text{Path}_j^{\tau'}$  for all  $P_j \in \text{Honest}$ . As we have shown above,  $B \in \text{Path}_j^{\tau'}$ . Thus, we either have  $B \in \text{PathTo}(\text{FinalTree}^{\tau'}, \hat{B}')^{\lceil \xi}$  or  $\text{PathTo}(\text{FinalTree}^{\tau'}, \hat{B}')^{\lceil \xi}$  is a prefix of  $\text{PathTo}(\text{FinalTree}^{\tau'}, B)$ . Because  $B'$  is a descendant of  $\hat{B}'$  and we assume that  $B'$  is not a descendant of  $B$ , the former is impossible. In the latter case, we have  $\hat{d}' < d + \xi$  as claimed.

We next want to bound  $\tau_0 - \hat{\tau}_{B'}$ . We assume this value is positive, otherwise we obtain the bound  $\tau_0 - \hat{\tau}_{B'} \leq 0$ . At time  $\hat{\tau}_{B'}$ , some honest party had a position with depth at least  $\hat{d}'$ . By definition of  $\tau_0$ , all honest parties at time  $\tau_0 - 1$  have positions with depth less than  $d + \gamma$ . Hence,  $\text{ChainGrowth}(\Delta_{\text{growth}}, \rho_{\text{growth}}, \rho'_{\text{growth}})$  implies that all honest parties at time  $\tau_0$  have positions with depth less than  $d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}$ . This means that between times  $\tau_0$  and  $\hat{\tau}_{B'}$ , the depth of the position of some honest party has grown by at most  $d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}} - \hat{d}'$ . Note that this value is positive since  $\gamma \geq \xi$  and  $\hat{d}' < d + \xi$ . The number of time intervals of length  $\Delta_{\text{growth}}$  that fit into  $[\hat{\tau}_{B'}, \tau_0]$  equals

$$\left\lfloor \frac{\tau_0 - \hat{\tau}_{B'}}{\Delta_{\text{growth}}} \right\rfloor \geq \frac{\tau_0 - \hat{\tau}_{B'}}{\Delta_{\text{growth}}} - 1.$$

Using the upper bound on chain growth, this implies

$$(\tau_0 - \hat{\tau}_{B'} - \Delta_{\text{growth}}) \cdot \rho_{\text{growth}} \leq \left\lfloor \frac{\tau_0 - \hat{\tau}_{B'}}{\Delta_{\text{growth}}} \right\rfloor \cdot \Delta_{\text{growth}} \cdot \rho_{\text{growth}} \leq d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}} - \hat{d}'.$$

Hence, we obtain

$$\tau_0 - \hat{\tau}_{B'} \leq \Delta_{\text{growth}} + \frac{d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}} - \hat{d}'}{\rho_{\text{growth}}}.$$

We finally want to bound  $\text{Depth}(B')$ . Using  $\text{DCGrowth}(\Delta_{\text{growth}}, \rho_{\text{disgro}})$ , we obtain

$$\begin{aligned} \text{Depth}(B') - \text{Depth}(\hat{B}') &\leq \rho_{\text{disgro}} \cdot \max\{\Delta_{\text{growth}}, \tau' - \hat{\tau}_{B'}\} \\ &\leq \rho_{\text{disgro}} \cdot \max\{\Delta_{\text{growth}}, \tau_0 + \delta_{\text{freeze}} - \hat{\tau}_{B'}\} \\ &\leq \rho_{\text{disgro}} \cdot \left( \Delta_{\text{growth}} + \frac{d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}} - \hat{d}'}{\rho_{\text{growth}}} + \delta_{\text{freeze}} \right). \end{aligned}$$

Thus,

$$\text{Depth}(B') \leq \hat{d}' \cdot \left( 1 - \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \right) + \rho_{\text{disgro}} \cdot \left( \Delta_{\text{growth}} + \frac{d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}}{\rho_{\text{growth}}} + \delta_{\text{freeze}} \right).$$

Since  $\rho_{\text{disgro}} < \rho_{\text{growth}}$ , we have  $0 < 1 - \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \leq 1$ . Further using  $\hat{d}' < d + \xi$ , this implies

$$\begin{aligned} \text{Depth}(B') &< (d + \xi) \cdot \left( 1 - \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \right) \\ &\quad + \rho_{\text{disgro}} \cdot \left( \Delta_{\text{growth}} + \frac{d + \gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}}{\rho_{\text{growth}}} + \delta_{\text{freeze}} \right) \\ &\leq d + \xi + \rho_{\text{disgro}} \cdot \left( \Delta_{\text{growth}} + \frac{\gamma + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}}{\rho_{\text{growth}}} + \delta_{\text{freeze}} \right) \\ &= d + \xi + \rho_{\text{disgro}} \cdot \left( \Delta_{\text{growth}} + \frac{\rho'_{\text{growth}} \cdot \Delta_{\text{growth}}}{\rho_{\text{growth}}} + \delta_{\text{freeze}} \right) + \gamma \cdot \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}}. \end{aligned}$$

By the choice of  $\gamma_0 \leq \gamma$ , we have

$$\rho_{\text{disgro}}(\rho_{\text{growth}}(\delta_{\text{freeze}} + \Delta_{\text{growth}}) + \rho'_{\text{growth}} \cdot \Delta_{\text{growth}}) \leq (\gamma - \xi) \cdot (\rho_{\text{growth}} - \rho_{\text{disgro}}),$$

which implies

$$\rho_{\text{disgro}} \cdot \left( \delta_{\text{freeze}} + \Delta_{\text{growth}} + \frac{\rho'_{\text{growth}} \cdot \Delta_{\text{growth}}}{\rho_{\text{growth}}} \right) \leq (\gamma - \xi) \cdot \left( 1 - \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \right).$$

Therefore,

$$\text{Depth}(B') < d + \xi + (\gamma - \xi) \cdot \left( 1 - \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \right) + \gamma \cdot \frac{\rho_{\text{disgro}}}{\rho_{\text{growth}}} \leq d + \gamma.$$

Since  $B'$  was an arbitrary block that is not a descendant of  $B$ , we can conclude that all blocks with depth at least  $d + \gamma$  are descendants of  $B$ . This concludes the proof of condition 2 of UJP.  $\square$

## 6 Weak Multi-Valued Byzantine Agreement

At the core of the Finalization algorithm from Section 5, parties use a Byzantine agreement protocol relative to a justification  $J$  (here  $J = J_{\text{INTREE}}^{d,\gamma}$ ). Each party  $P_i$  inputs a justified proposal  $\mathbf{p}_i$  (a block) and gets a decision  $\mathbf{d}_i$  (a block or  $\perp$ ) as output. The Byzantine agreement must satisfy consistency and termination which are defined as follows.

**Consistency:** If some honest parties  $P_i$  and  $P_j$  output decisions  $\mathbf{d}_i$  and  $\mathbf{d}_j$  respectively, then  $\mathbf{d}_i = \mathbf{d}_j$ .

**Termination:** If all honest parties input some justified proposal, then eventually all honest parties output a decision.

Finalization also requires that the agreement protocol satisfies some form of validity. The exact validity guarantee we require depends on whether the underlying blockchain satisfies DCGrowth.

We therefore propose two variants of such a protocol, namely WMVBA and FilteredWMVBA which are inspired by classic asynchronous BA protocol such as [7] and [4]. Both protocols satisfy consistency and termination as defined above. The first variant, WMVBA requires DCGrowth from the underlying blockchain, whereas FilteredWMVBA only relies on standard blockchain properties.

The WMVBA protocol satisfies weak validity and  $n/3$ -support:

**Weak Validity:** If during the protocol execution there exists a decision  $\mathbf{d}$  such that no other decision  $\mathbf{d}'$ , where  $\mathbf{d}' \neq \mathbf{d}$  is  $J$ -justified for any honest party, then no honest party  $P_i$  outputs a decision  $\mathbf{d}'$  with  $\mathbf{d}' \neq \mathbf{d}$ .

**$n/3$ -Support:** If some honest party  $P_i$  outputs decision  $\mathbf{d}$  with  $\mathbf{d} \neq \perp$ , then at least  $n/3$  of the honest parties had  $J$ -justified input  $\mathbf{d}$ .

*Remark 7.* The  $n/3$ -support property is a strengthening of *strong validity*, which has been introduced by Neiger [22]. Strong validity requires the output of honest parties to be the input of some honest party, i.e., it roughly corresponds to 1-support (ignoring  $\perp$ -outputs and justifications). As was shown by Neiger [22], strong validity is impossible (even in a synchronous network) if  $n \leq mt$ , where  $m$  is the number of possible inputs. We circumvent this impossibility by allowing parties to output  $\perp$  when there are too many possible inputs (i.e., justified proposals).



As we have shown in Lemma 2, a blockchain satisfying Prefix, ChainGrowth, and DCGrowth has the property that at some point, there is a unique justified proposal in the tree. Weak validity guarantees that running WMVBA at that point leads to parties outputting that block.

If DCGrowth does not hold, there could always be more than one justified proposal, in which case WMVBA can always output  $\perp$ . To deal with this, FilteredWMVBA provides (non-weak) validity, at the expense of only having 1-support. More precisely, FilteredWMVBA satisfies consistency, termination, and the following two properties:

**Validity:** If all honest parties input the same  $J$ -justified  $\mathbf{d}$ , then no honest party  $P_i$  outputs a decision  $\mathbf{d}'$  with  $\mathbf{d}' \neq \mathbf{d}$ .

**1-Support:** If some honest party  $P_i$  outputs decision  $\mathbf{d}$  with  $\mathbf{d} \neq \perp$ , then at least 1 of the honest parties had  $J$ -justified input  $\mathbf{d}$ .

The usual common-prefix property implies that if honest parties have more than the prefix parameter number of blocks below the block they propose to finalize, then they all propose the same block. Hence, validity of FilteredWMVBA ensures that in this case, they agree on this block. Note that without DCGrowth, it is possible to have other chains of equal length in the tree (and thus no unique justified proposal), but Prefix implies that no honest party adopts these alternative chains, i.e., only dishonest parties can input them to FilteredWMVBA.

We first present WMVBA. FilteredWMVBA is essentially the same with an additional filtering step at the beginning, with the goal of filtering out proposals of dishonest parties. In Section 6.5, we describe how WMVBA needs to be modified to obtain FilteredWMVBA.

**Protocol intuition.** At the beginning of the WMVBA protocol all parties first run the Freeze sub-protocol. In Freeze, parties send their proposals to all other parties and every party checks whether they received at least  $n - t$  proposals for the same block. In that case, their output for Freeze is that block, otherwise it is  $\perp$ . Freeze thereby boils the decision for a finalized block down to the binary decision between  $\perp$  and a unique block output by Freeze (if that exists). To this end, a binary Byzantine agreement protocol ABBA is run after Freeze. We provide details about the sub-protocols and WMVBA in the following sections.

**Related work.** Our protocols are inspired by classic asynchronous BA protocols such as [7] and [4]. In contrast to many classical protocols, such as the one in [7], we implement a coin-flip using a VRF-based approach instead of a distributed coin-flip protocol. Also note that our protocols are not asynchronous; we explicitly make use of the partially synchronous network assumption.

The idea of reducing a multivalued Byzantine agreement to a binary Byzantine agreement as used in WMVBA (via Freeze and ABBA) was first proposed by Turpin and Coan [28]. The idea of core-set selection as used in ABBA has been presented, e.g., in [1].

The most important difference of our protocol compared to classical ones is that classical protocols provide validity (i.e., if all honest parties have the same input  $v$ , then no honest party decides on  $v' \neq v$ ), which is stronger than our weak validity. They do not, however, provide any support. In our setting, weak validity is sufficient and support is an important property for a finality layer. Hence, while we use mostly known techniques, we need different guarantees and cannot directly rely on existing protocols.

## 6.1 Freeze Protocol

Each honest party  $P_i$  has a  $J$ -justified input  $\mathbf{p}_i$ , called proposal. In our use case these proposals are blocks. Each honest party  $P_i$  (eventually) outputs a decision  $\mathbf{d}_i$  which is either from the

space of proposals (e.g., a block) or  $\perp$ . The output decision  $\mathbf{d}_i$  of  $P_i$  is justified by justification  $J_{\text{dec}}$  (see Definition 13). The Freeze protocol satisfies the following properties.

**Weak Consistency:** If honest parties  $P_i$  and  $P_j$  output decisions  $\mathbf{d}_i \neq \perp$  and  $\mathbf{d}_j \neq \perp$  respectively, then  $\mathbf{d}_i = \mathbf{d}_j$ .

**Weak Validity:** If during the protocol execution<sup>4</sup> there exists a  $J$ -justified proposal  $\mathbf{p}$  such that no other proposal  $\mathbf{p}' \neq \mathbf{p}$  is  $J$ -justified for any honest party, then no honest party  $P_j$  outputs  $\mathbf{p}'$ .

**$n - 2t$ -Support:** If honest party  $P_i$  outputs decision  $\mathbf{d}_i \neq \perp$ , then at least  $n - 2t$  honest parties had  $\mathbf{d}_i$  as input.

**Termination:** If all honest parties input some justified proposal, then eventually all honest parties output a decision.

Next, we define the following justifications relative to the input justification  $J$ .

**Definition 11.** A proposal message  $m = (\text{baid}, \text{PROPOSAL}, \mathbf{p})$  from  $P_i$  is considered  $J_{\text{prop}}$ -justified for  $P_j$  if  $m$  is signed by  $P_i$  and  $\mathbf{p}$  is  $J$ -justified for  $P_j$ .

**Definition 12.** A vote message  $m = (\text{baid}, \text{VOTE}, \mathbf{v})$  from  $P_i$  is considered  $J_{\text{vote}}$ -justified for  $P_j$  if it is signed by  $P_i$  and either for  $\mathbf{v} \neq \perp$   $P_j$  has collected  $J_{\text{prop}}$ -justified messages  $(\text{baid}, \text{PROPOSAL}, \mathbf{v})$  from at least  $n - 2t$  parties or for  $\mathbf{v} = \perp$   $P_j$  has collected  $J_{\text{prop}}$ -justified messages  $(\text{baid}, \text{PROPOSAL}, \mathbf{p})$  and  $(\text{baid}, \text{PROPOSAL}, \mathbf{p}')$  (from two different parties) where  $\mathbf{p}' \neq \mathbf{p}$ .

**Definition 13** ( $J_{\text{dec}}$ -justification). A decision message  $m = (\text{baid}, \text{FROZEN}, \mathbf{d})$  is  $J_{\text{dec}}$ -justified for  $P_j$  if  $P_j$  collected  $J_{\text{vote}}$ -justified messages  $(\text{baid}, \text{VOTE}, \mathbf{d})$  from at least  $t + 1$  parties.

Observe that for example a proposal message  $(\text{baid}, \text{PROPOSAL}, \mathbf{p})$  can become  $J_{\text{prop}}$ -justified for  $P_j$  much *after* it was received from  $P_i$ . This due to  $J$  being an eventual justification. The proposal  $\mathbf{p}$  thus can become  $J$ -justified after receiving a proposal message containing  $\mathbf{p}$ .

**Protocol.** We describe the Freeze protocol next.

### Protocol Freeze( $\text{baid}, J$ )

Each (honest) party  $P$  has a  $J$ -justified proposal  $\mathbf{p}$  as input. Party  $P$  does the following:

**Propose:**

1. Broadcast proposal message  $(\text{baid}, \text{PROPOSAL}, \mathbf{p})$ .

**Vote:**

2. Collect proposal messages  $(\text{baid}, \text{PROPOSAL}, \mathbf{p}_i)$ . Once  $J_{\text{prop}}$ -justified proposal messages from at least  $n - t$  parties have been collected do the following (but keep collecting proposal messages).
  - (a) If  $J_{\text{prop}}$ -justified proposal messages from at least  $n - t$  parties contain the same proposal  $\mathbf{p}$ , broadcast vote message  $(\text{baid}, \text{VOTE}, \mathbf{p})$ .
  - (b) Otherwise broadcast vote message  $(\text{baid}, \text{VOTE}, \perp)$ .

**Freeze:**

3. Collect vote messages  $(\text{baid}, \text{VOTE}, \mathbf{p}_i)$ . Once  $J_{\text{vote}}$ -justified vote messages from at least  $n - t$  parties have been collected and there is a value contained in at least  $t + 1$  vote messages do the following.
  - (a) If  $J_{\text{vote}}$ -justified vote messages from at least  $t + 1$  parties contain the same  $\mathbf{p} \neq \perp$  then output  $(\text{baid}, \text{FROZEN}, \mathbf{d})$ , where  $\mathbf{d} = \mathbf{p}$ .

<sup>4</sup>That is until the first honest party gets an output.

- (b) Otherwise if  $\perp$  is contained in vote messages from at least  $t + 1$  parties output  $(\mathbf{baid}, \text{FROZEN}, \perp)$ .
4. Keep collecting vote messages until WMVBA is terminated (i.e., until  $P_i$  gets an output in WMVBA). Party  $P_i$  keeps track of all decisions  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d})$  which become  $J_{\text{dec}}$ -justified.

**Lemma 3.** *For  $t < \frac{n}{3}$  the protocol Freeze satisfies weak agreement, weak validity,  $n - 2t$ -support, and termination. The outputs of honest parties are  $J_{\text{dec}}$ -justified.*

*Proof.* We prove each individual property next.

**Weak Consistency:** To prove the weak agreement property, we have to show that no honest parties  $P_i$  and  $P_j$  will ever output different decisions  $\mathbf{d}_i$  and  $\mathbf{d}_j$  when  $\mathbf{d}_i \neq \perp$  and  $\mathbf{d}_j \neq \perp$ .

If all honest parties output  $\perp$  then we are done. So assume that honest party  $P_i$  outputs  $\mathbf{d}_i$ . Then at least one honest party  $P_k$  broadcast  $J_{\text{vote}}$ -justified message  $(\mathbf{baid}, \text{VOTE}, \mathbf{d}_i)$ . So  $P_k$  must have collected  $J_{\text{prop}}$ -justified messages  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{d}_i)$  from at least  $n - t$  parties. This implies that any other honest party has received  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{d}_j)$  from at most  $2t$  parties where  $\mathbf{d}_i \neq \mathbf{d}_j \neq \perp$ . So all honest parties will vote either for  $\mathbf{d}_i$  or  $\perp$ . Thus all honest parties will output either  $\mathbf{d}_i$  or  $\perp$ . This implies the property.

**Weak Validity:** Assume that there exists a proposal  $\mathbf{p}$  such that during the protocol execution there exist no other  $\mathbf{p}' \neq \mathbf{p}$  that is  $J$ -justified for any honest party. Thus, the only proposal message which could be  $J_{\text{prop}}$ -justified for honest parties is  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{p})$ . This implies that the only vote message which could be  $J_{\text{vote}}$ -justified for honest parties is also  $(\mathbf{baid}, \text{VOTE}, \mathbf{p})$ . Thus,  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d})$ , where  $\mathbf{d} = \mathbf{p}$  is the only decision that could become  $J_{\text{dec}}$ -justified for any honest party.

**$n - 2t$ -Support:** Assume  $P_i$  outputs decision  $\mathbf{d}_i \neq \perp$ . That means that  $P_i$  received  $J_{\text{vote}}$ -justified vote message  $(\mathbf{baid}, \text{VOTE}, \mathbf{p})$  from strictly more than  $t$  parties. Out of those parties at least one must be honest. That honest must have received  $J_{\text{prop}}$ -justified  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{d}_i)$  from at least  $n - t$  parties. Thus at least  $n - 2t$  honest parties have sent  $J_{\text{prop}}$ -justified  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{d}_i)$  which they only do if  $\mathbf{d}_i$  is their input.

**Termination:** Note that all used justifications are eventual. So if there exists a proposal which is  $J$ -justified for some honest party it eventually becomes  $J$ -justified for all honest parties. Thus, all honest parties will eventually send out  $J_{\text{prop}}$ -justified proposal messages and all honest parties will eventually send out  $J_{\text{vote}}$ -justified vote messages. As honest parties vote for at most two different values, all will eventually receive vote messages from  $n - t$  parties where one values is contained in at least  $t + 1$  votes. Therefore all honest parties will eventually output a decision.

Finally, we show that the output  $\mathbf{d}_i$  of honest party  $P_i$  is  $J_{\text{dec}}$ -justified for  $P_i$ . If  $\mathbf{d}_i \neq \perp$  then  $P_i$  collected  $J_{\text{vote}}$ -justified messages  $(\mathbf{baid}, \text{VOTE}, \mathbf{d}_i)$  from at least  $t + 1$  parties. Thus the output is  $J_{\text{dec}}$ -justified. If  $\mathbf{d}_i = \perp$  and  $P_i$  collected  $J_{\text{vote}}$ -justified messages  $(\mathbf{baid}, \text{VOTE}, \perp)$  from at least  $t + 1$  parties, then the output is also  $J_{\text{dec}}$ -justified.  $\square$

**Corollary 1.** *At most one decision  $\mathbf{d} \neq \perp$  will ever be  $J_{\text{dec}}$ -justified for any honest party.*

*Proof.* This follows from the argument of weak agreement.  $\square$

**Lemma 4.** *If an honest party  $P_i$  outputs ( $J_{\text{dec}}$ -justified) decision  $\mathbf{d}_i \neq \perp$  in Freeze, then eventually all honest parties will accept  $\mathbf{d}_i$  has  $J_{\text{dec}}$ -justified.*

*Proof.* Assume  $P_i$  outputs ( $J_{\text{dec}}$ -justified) decision  $\mathbf{d}_i \neq \perp$ . That means that  $P_i$  received  $J_{\text{vote}}$ -justified vote message  $(\mathbf{baid}, \text{VOTE}, \mathbf{p})$  from strictly more than  $t$  parties. This also means that at least one honest party received  $J_{\text{prop}}$ -justified  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{d}_i)$  from at least  $n - t$  parties. This implies that  $\mathbf{d}_i$  is  $J$ -justified for that party.

The decision  $\mathbf{d}_i$  will therefore be  $J$ -justified for any other honest party. Under the assumption that any message received by an honest party will eventually be received by all other honest parties we have that any honest party will have  $J_{\text{vote}}$ -justified  $(\mathbf{baid}, \text{VOTE}, \mathbf{p})$  vote messages from strictly more than  $t$  parties. This makes all honest parties accept  $\mathbf{d}_i$  as  $J_{\text{dec}}$ -justified eventually.  $\square$

## 6.2 Core Set Selection

The *weak core-set selection* protocol CSS is used in our binary byzantine agreement protocol ABBA (see Section 6.3) to compute a common core-set of party-value tuples. The global inputs, i.e., the pre-agreed parameters, are input justification  $J_{\text{cssin}}$  and a delay  $\Delta_{\text{css}}$ . Each party inputs a  $J_{\text{cssin}}$ -justified bit where  $J_{\text{cssin}}$  is some (eventual) justification which is later defined by ABBA. Each honest party  $P_i$  (eventually) outputs a set  $\text{Core}_i$  which contains justified tuples  $(P, \mathbf{b})$ .

The idea with the delay  $\Delta_{\text{css}}$  is to give honest parties more time to submit their input to the core-set. This allows to counter the effect of de-synchronization. In particular, assume that honest parties start the protocol within  $\Delta_{st}$  and that the network delay is at most  $\Delta_{\text{net}}$ . Then honest parties are at most  $\Delta_{st} + \Delta_{\text{net}}$  de-synchronized. By waiting  $\Delta_{\text{css}} > \Delta_{st} + \Delta_{\text{net}}$  the inputs of all honest parties will be part of the core set. The protocol has the following properties.

**Common Core:** The output sets of honest parties have a common core  $\text{Core} \subseteq \bigcap_i \text{Core}_i$  which contains tuples  $(P, \mathbf{b})$  from at least  $n - t$  different<sup>5</sup> parties.

**Weak Validity:** If during the protocol execution of CSS for some  $\mathbf{baid}$  there exists a  $J_{\text{cssin}}$ -justified  $\mathbf{b}$  such that no other bit  $\mathbf{b}'$  is  $J_{\text{cssin}}$ -justified for any honest party, then all tuples in the output set  $\text{Core}_i$  of honest party  $P_i$  are of the form  $(\cdot, \mathbf{b})$ .

**Unique Honest Tuple:** The output set  $\text{Core}_i$  of honest party  $P_i$  contains for each honest party  $P_j$  at the tuple  $(P_j, \mathbf{b}_j)$  where  $\mathbf{b}_j$  is the input of  $P_j$ .

**Termination:** If all honest parties have  $J_{\text{cssin}}$ -justified input, then all honest parties will eventually terminate.

**$\Delta_{\text{css}}$ -Waiting:** If  $\Delta_{\text{css}}$  is larger than the de-synchronization of honest parties, then output set  $\text{Core}_i$  of honest party  $P_i$  contains tuples from all honest parties. Moreover, all honest outputs are fixed before the first honest party gives an output.

We define the following justifications relative to justification  $J_{\text{cssin}}$ .

**Definition 14.** A tuple  $(P_i, \mathbf{b}_i)$  is  $J_{\text{tp1}}$ -justified for  $P_j$  if it is correctly signed by  $P_i$  and  $\mathbf{b}_i$  is  $J_{\text{cssin}}$ -justified for  $P_j$ .

**Definition 15.** A *seen message*  $(\text{SEEN}, P_k, (P_i, \mathbf{b}_i))$  is  $J_{\text{seen}}$ -justified for  $P_j$  if it is correctly signed by  $P_k$  and  $(P_i, \mathbf{b}_i)$  is  $J_{\text{tp1}}$ -justified for  $P_j$ .

**Definition 16.** A *done-reporting message*  $(\text{DONEREPORTING}, P_k, \mathbf{iSaw}_k)$  is  $J_{\text{done}}$ -justified for  $P_j$  if it is correctly signed by  $P_k$  and for each tuple  $(P_i, \mathbf{b}_i) \in \mathbf{iSaw}_k$   $P_j$  has a  $J_{\text{seen}}$ -justified  $(\text{SEEN}, P_k, (P_i, \mathbf{b}_i))$ .

We give a formal description of the protocol next.

---

<sup>5</sup>Note that  $\text{Core}$  or any  $\text{Core}_i$  contain multiple tuples with the same (dishonest) party.

**Protocol CSS**( $\text{baid}, J_{\text{cssin}}, \Delta_{\text{css}}$ )

The protocol is described from the view point of a party  $P_i$  which has  $J_{\text{cssin}}$ -justified input bit  $\mathbf{b}_i$ .

**Start:**

- Party  $P_i$  sets flag  $\text{report}_i$  to  $\top$ . It initializes sets  $\text{iSaw}_i$  and  $\text{manySaw}_i$  to  $\emptyset$ . Then  $P_i$  sends its  $J_{\text{cssin}}$ -justified input  $\mathbf{b}_i$  signed to all parties.

**Reporting Phase:**

- Once  $P_i$  receives signed  $\mathbf{b}_j$  from  $P_j$  such that  $(P_j, \mathbf{b}_j)$  is  $J_{\text{tp1}}$ -justified,  $P_i$  adds  $(P_j, \mathbf{b}_j)$  to  $\text{iSaw}_i$  and sends signed  $(\text{SEEN}, P_i, (P_j, \mathbf{b}_j))$  to all parties. Party  $P_i$  does this for each party  $P_j$  at most once.
- Once  $P_i$  received  $J_{\text{seen}}$ -justified  $(\text{SEEN}, P_k, (P_j, \mathbf{b}_j))$  from at least  $n - t$  parties, party  $P_i$  adds  $(P_j, \mathbf{b}_j)$  to  $\text{manySaw}_i$ .
- Once  $\text{manySaw}_i$  contains tuples  $(P_j, \cdot)$  for at least  $n - t$  parties,  $P_i$  waits for  $\Delta_{\text{css}}$  (while still collecting tuples) and then sets  $\text{report}_i$  to  $\perp$ .

**Closing Down:**

- Once  $P_i$  sets  $\text{report}_i$  to  $\perp$ ,  $P_i$  sends to all parties signed  $(\text{DONEREPORTING}, P_i, \text{iSaw}_i)$ .
- Once  $P_i$  received  $J_{\text{done}}$ -justified  $(\text{DONEREPORTING}, P_j, \text{iSaw}_j)$  from at least  $n - t$  parties,  $P_i$  sets  $\text{Core}_i$  to be the set of all currently  $J_{\text{tp1}}$ -justified  $(P_j, \mathbf{b}_j)$ . It then waits for  $\Delta_{\text{css}}$  (and stops collecting messages), and afterwards outputs  $\text{Core}_i$ .

**Lemma 5.** *For  $t < \frac{n}{3}$  the protocol CSS satisfies common core, weak validity, unique honest tuples, termination, and  $\Delta_{\text{css}}$ -waiting.*

*Proof.* We prove each individual property next.

**Common Core:** Let  $P_i$  be the first honest that sends out  $(\text{DONEREPORTING}, P_i, \text{iSaw}_i)$ . At this point  $P_i$ 's  $\text{manySaw}_i$  contains  $J_{\text{tp1}}$ -justified tuples  $(P_j, \mathbf{b}_j)$  from at least  $n - t$  parties. Additionally note that if  $(P_j, \mathbf{b}_j) \in \text{manySaw}_i$  then at least  $n - 2t > t$  honest parties must have added  $(P_j, \mathbf{b}_j)$  to their  $\text{iSaw}$ .

Let  $P_k$  be an honest party with output  $\text{Core}_k$ . We now argue that any tuple  $(P_j, \mathbf{b}_j)$  in  $\text{manySaw}_i$  must be part of  $\text{Core}_k$ . At the point where  $P_k$  computed  $\text{Core}_k$  the party has seen at least  $n - t$   $J_{\text{done}}$ -justified  $(\text{DONEREPORTING}, P, \text{iSaw})$ . So one of them must come from an honest party which has  $(P_j, \mathbf{b}_j)$  added to their  $\text{iSaw}$  (as  $n - 2t > t$  have added it to their  $\text{iSaw}$ ). Thus  $P_k$  will consider  $(P_j, \mathbf{b}_j)$   $J_{\text{tp1}}$ -justified at this point and add it to  $\text{Core}_k$ .

**Weak Validity:** The output set  $\text{Core}_i$  contains only tuples  $(P_k, \mathbf{b}_k)$  which are  $J_{\text{tp1}}$ -justified for  $P_i$ . As  $\mathbf{b}$  is the only  $J_{\text{cssin}}$ -justified value, only tuples of the form  $(\cdot, \mathbf{b})$  are  $J_{\text{tp1}}$ -justified. Thus all tuples in  $\text{Core}_i$  are of the form  $(\cdot, \mathbf{b})$ .

**Unique Honest Tuple:** An honest party  $P_j$  will only send out its signed input bit  $\mathbf{b}_j$ . Thus if a tuple  $(P_j, \mathbf{b})$  is considered  $J_{\text{tp1}}$ -justified by  $P_i$ , we have that  $\mathbf{b} = \mathbf{b}_j$ .

**Termination:** Each honest party  $P_i$  will send out its signed input bit  $\mathbf{b}$ . Any other honest  $P_j$  will add  $\mathbf{b}$  to its  $\text{iSaw}_j$  (as  $J_{\text{cssin}}$  is an eventual justification) and send out  $(\text{SEEN}, P_j, (P_i, \mathbf{b}_i))$ . As there are at least  $n - t$  honest parties, all honest parties will add at least  $n - t$  tuples to their  $\text{manySaw}$ . This implies that they all will send out  $(\text{DONEREPORTING}, \cdot, \cdot)$  messages which are justified for all other honest parties. Thus every honest party  $P_i$  will eventually output a  $\text{Core}_i$ .

**$\Delta_{\text{css}}$ -Waiting:** If  $\Delta_{\text{css}}$  is large enough, then any honest party  $P_i$  will have enough time to broadcast their input bit, such that any other honest party  $P_j$  will receive it before they

set  $\text{report}_i$  to  $\perp$ . Furthermore, waiting for  $\Delta_{\text{CSS}}$  time after fixing  $\text{Core}_i$  guarantees that all honest outputs are fixed before any honest party gives an output. □

**Corollary 2.** *The output set  $\text{Core}_i$  of honest party  $P_i$  contains tuples  $(P_j, \mathbf{b}_j)$  from at least  $n - t$  different parties.*

**Corollary 3.** *The output  $\text{Core}_i$  of party  $P_i$  contains tuples  $(P_j, \mathbf{b})$  and  $(P_j, \mathbf{b}')$  with  $\mathbf{b} \neq \mathbf{b}'$  for at most  $t$  parties.*

*Proof.* The corollary is implied by the unique-honest-tuple property. □

### 6.3 Another Binary Byzantine Agreement

We now describe a Binary Byzantine Agreement protocol ( $\text{ABBA}$ ). Parties use  $\text{ABBA}$  to decide whether they agreed on a non- $\perp$  decision in  $\text{Freeze}$  (resp.  $\text{FilteredFreeze}$ ). The global inputs, i.e., the pre-agreed parameters, are input justification  $J_{\text{in}}$  and a delay  $\Delta_{\text{ABBA}}$ . Each party has a  $J_{\text{in}}$ -justified bit  $\mathbf{b} \in \{\perp, \top\}$  as input. The output of honest parties in  $\text{ABBA}$  are  $J_{\text{out}}$ -justified bits (see Definition 19).

The  $\text{ABBA}$  protocol is a type of randomized graded agreement. The protocol consists of multiples phases. In each phase parties propose their current bit. After a weak core-set agreement using  $\text{CSS}$  parties make a choice to update their current bit. They each grade their choice from 0 to 2. The randomization comes in the form of a leader election where the elected leader helps parties with grade 0 to select their current bit. The protocol  $\text{ABBA}$  has the following properties.

**Consistency:** If some honest  $P_i$  and  $P_j$  output bits  $\mathbf{b}_i$  respectively  $\mathbf{b}_j$ , then  $\mathbf{b}_i = \mathbf{b}_j$ .

**Validity:** If all honest parties input the same  $J_{\text{in}}$ -justified bit  $\mathbf{b}$ , then no honest  $P_j$  outputs a decision  $\mathbf{b}'' \neq \mathbf{b}$ .

**Termination:** If all honest parties input some  $J_{\text{in}}$ -justified bit, then eventually all honest voters output some bit.

We use the following justifications in  $\text{ABBA}$ .

**Definition 17.** A bit  $\mathbf{b}$  is  $J_{\text{phase},1}$ -justified (*phase-1 justified*) for  $P_i$  if it is  $J_{\text{in}}$ -justified.

**Definition 18.** For  $k > 1$  a bit  $\mathbf{b}$  is  $J_{\text{phase},k}$ -justified (*phase-k justified*) for  $P_i$  if  $P_i$  has  $t + 1$  signatures on  $(\text{baid}, \text{JUSTIFIED}, \mathbf{b}, k - 1)$ .

**Definition 19.** A bit  $\mathbf{b}$  is  $J_{\text{out}}$ -justified (*output*) for  $P_i$  if  $P_i$  has  $t + 1$  signatures on  $(\text{baid}, \text{WEAREDONE}, \mathbf{b})$ .

**Leader election lottery.** The  $\text{ABBA}$  protocol requires a lottery which ranks parties. We need that every party gets a “lottery ticket” such that other parties can verify the ticket and every party has the same probability of having the highest ticket. Furthermore, we require that lottery tickets of honest parties cannot be predicted before they sent it. This can, e.g., be implemented using a *verifiable random function* (VRF) [20] with unpredictability under malicious key generation [10]. Such a VRF that can locally be evaluated by every party and verified by others using a public key. Depending on the underlying blockchain, one can also use some other mechanism offered by the blockchain.

**Protocol.** We next describe the protocol.

**Protocol A $\mathcal{B}$ BA( $\mathbf{baid}, J_{\text{in}}, \Delta_{\text{ABBA}}$ )**

The protocol is described from the view point of a party  $P_i$  which has  $J_{\text{in}}$ -justified input  $\mathbf{b}_i$ . The party starts both the ‘‘Graded Agreement’’ and the ‘‘Closing Down’’ part of the protocol.

**Graded Agreement**

In each phase  $k = 1, 2, \dots$  do the following:

1. The parties jointly run  $\text{CSS}(\mathbf{baid}, J_{\text{phase},k}, k \cdot \Delta_{\text{ABBA}})$  where  $P_i$  inputs  $\mathbf{b}_i$ . Denote by  $\text{Core}_i$  the output of  $P_i$ .
2.  $P_i$  computes its lottery ticket  $\text{ticket}_i$  and broadcasts signed  $(\mathbf{baid}, \text{JUSTIFIED}, \mathbf{b}_i, k)$  along with  $\text{ticket}_i$ .
3.  $P_i$  waits for time  $k \cdot \Delta_{\text{ABBA}}$  and then does the following:
  - If all bits (of the tuples) in  $\text{Core}_i$  are  $\top$  let  $\mathbf{b}_i = \top$  and  $\text{grade}_i = 2$ .
  - Else if at least  $n - t$  bits in  $\text{Core}_i$  are  $\top$  let  $\mathbf{b}_i = \top$  and  $\text{grade}_i = 1$ .
  - Else if all bits in  $\text{Core}_i$  are  $\perp$  let  $\mathbf{b}_i = \perp$  and  $\text{grade}_i = 2$ .
  - Else if at least  $n - t$  bits in  $\text{Core}_i$  are  $\perp$  let  $\mathbf{b}_i = \perp$  and  $\text{grade}_i = 1$ .
  - Else, select a bit  $\mathbf{b}$  which occurs  $> t$  in  $\text{Core}_i$ . If this bit is not unique, verify all lottery tickets and select the bit  $\mathbf{b}$  where  $(\mathbf{b}, P) \in \text{Core}_i$  and  $P$  has the highest valid lottery ticket for all parties in  $\text{Core}_i$ . Let  $\mathbf{b}_i = \mathbf{b}$  and  $\text{grade}_i = 0$ .
4. Go to the next phase.

**Closing Down** Each party sends at most one  $(\mathbf{baid}, \text{WEAREDONE}, \cdot)$  message.

1. When  $P_i$  achieves grade 2 for the first time it sends signed  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{b}_i)$  to all parties.
2. Once having receiving at least  $t + 1$  signed  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{b})$  terminate the protocol and output  $J_{\text{out}}$ -justified  $\mathbf{b}$ .

**Lemma 6.** *For  $n > 3t$  the protocol A $\mathcal{B}$ BA satisfies agreement, validity, and termination.*

*Proof.* We first proceed to prove the following claims.

**Claim 1.** *At the start of any phase  $k$  the current bit  $\mathbf{b}_i$  of an honest party  $P_i$  is  $J_{\text{phase},k}$ -justified for  $P_i$  and is eventually  $J_{\text{phase},k}$ -justified for any other party.*

*Proof.* In the first phase the bit  $\mathbf{b}_i$  is the  $J_{\text{in}}$ -justified input bit, thus the statement holds. So assume that the start of phase  $k - 1$  all honest parties have a  $J_{\text{phase},k-1}$ -justified bit. In Step 2 of phase  $k - 1$  they broadcast  $n - t \geq 2t + 1$  messages of the form  $(\mathbf{baid}, \text{JUSTIFIED}, \cdot, k - 1)$ . These messages will eventually be received by all honest parties. Thus in phase  $k$  at least one bit must be eventually  $J_{\text{phase},k}$ -justifiable for all honest parties. By the design of A $\mathcal{B}$ BA honest parties will select such a bit in Step 3 of phase  $k - 1$ . So they all end up with a  $J_{\text{phase},k}$ -justified bit at the start of phase  $k$ .  $\square$

**Claim 2.** *Eventually all honest party will end up with the same bit  $\mathbf{b}$  and grade  $\text{grade} = 2$ .*

*Proof.* Consider the following cases:

**Case 1:** Assume that in some phase  $k$  in Step 1 there exists a  $J_{\text{phase},k}$ -justified bit  $\mathbf{b}$  such that all honest parties have  $\mathbf{b}_i = \mathbf{b}$ .

All honest parties send out signed  $(\mathbf{baid}, \text{JUSTIFIED}, \mathbf{b}, k)$  and start CSS with justified inputs. By the termination property of CSS every honest party will eventually have an output. By the common-core property the output sets have a common core of size at least  $n - t$ . By the unique-honest tuple property  $\mathbf{b}$  will occur at least  $t + 1$  in  $P_i$ 's output set  $\text{Core}_i$ . On the other hand  $1 - \mathbf{b}$  will occur at most  $t$  times in  $\text{Core}_i$ . Therefore, any honest

party  $P_i$  will select again  $\mathbf{b}$  in Step 3 (with a grade of 0 or more). In the next phase  $k + 1$  all honest parties have  $\mathbf{b}_i = \mathbf{b}$  and no other bit is  $J_{\text{phase},k+1}$ -justified. In this phase by the weak validity property of CSS it follows that all honest parties will have  $\mathbf{b}_i = \mathbf{b}$  and  $\text{grade}_i = 2$  after Step 3. Afterwards, the honest parties will no longer change their values nor their grades.

**Case 2:** Assume that in some phase  $k$  after Step 3 an honest party  $P_i$  has  $\mathbf{b}_i = \mathbf{b}$  and  $\text{grade}_i = 2$ . That means  $\text{Core}_i$  from CSS and thus the core-set only contains tuples with  $\mathbf{b}$ . So any other honest party  $P_j$  has  $\mathbf{b}$  at least  $n - t$  times in its  $\text{Core}_j$ . At the same time  $P_j$  cannot have at least  $n - t > 2t$  tuples with  $1 - \mathbf{b}$  in  $\text{Core}_j$ . Hence after Step 3  $P_j$  will set  $\mathbf{b}_j = \mathbf{b}$  with  $\text{grade}_j \geq 1$ . Thus in the next phase we are in Case 1.

**Case 3:** Assume that in some phase after Step 3 there is a bit  $\mathbf{b}$  such that any honest party  $P_i$  either has  $\mathbf{b}_i = \mathbf{b}$  with  $\text{grade}_i \geq 1$  or  $\mathbf{b}_i$  arbitrary with  $\text{grade}_i = 0$ .

We assume that  $k \cdot \Delta_{\text{ABBA}}$  is larger than the network delay, which will eventually happen. Otherwise the adversary can potentially delay messages from honest parties with high lottery tickets and we end up in one of the cases 1-3. In case  $k \cdot \Delta_{\text{ABBA}}$  is large enough, the lottery tickets of all honest parties have arrived after waiting in Step 3. Furthermore, the  $\Delta_{\text{CSS}}$ -waiting property of CSS guarantees that all  $\text{Core}_i$  and the common  $\text{Core}$  contains the tuples of all honest parties.

**sub-case a):** Assume that there is some honest party  $P_i$  with  $\mathbf{b}_i = \mathbf{b}$  and grade  $\text{grade}_i = 1$  after Step 3. Then, there are at least  $n - t$  tuples of the form  $(\cdot, \mathbf{b})$  in  $\text{Core}_j$ . Let  $x \geq n - t$  be the size of the core-set. Then, there are at least  $x - t \geq n - 2t > t$  tuples of the form  $(\cdot, \mathbf{b})$  from honest parties in the core-set. This implies that  $\mathbf{b}$  is a justified choice for all honest parties. If the other bit is not justified for any honest party, all honest parties choose  $\mathbf{b}$  and we are in Case 1 in the next phase. Otherwise, some honest parties will use the highest lottery ticket to determine their output. We analyze this case below.

**sub-case b):** Assume that all honest parties have  $\text{grade}_i = 0$ . Let  $\mathbf{b}'$  be the bit input to CSS by more honest parties (and  $\mathbf{b}' = \top$  if both bits are input equally often). Since the tuples of all honest parties are in the core-set,  $\mathbf{b}'$  is at least  $t + 1$  times in the core-set, and thus in every  $\text{Core}_i$ . It is therefore a justified choice for all honest parties. Hence, either all parties will choose  $\mathbf{b}'$  since it is the only justified bit, or some honest parties will choose their bit according to the highest lottery ticket.

We finally consider the case where some honest parties make their choice according to the highest lottery ticket. In both sub-cases, there is a bit  $\mathbf{b}''$  that corresponds to at least  $n/3$  honest lottery tickets such that if all honest parties choose  $\mathbf{b}''$ , then we are in Case 1 in the next phase (in sub-case a),  $\mathbf{b}'' = \mathbf{b}$  and in sub-case b),  $\mathbf{b}'' = \mathbf{b}'$ ). Note that the  $\Delta_{\text{CSS}}$ -waiting property of CSS guarantees that all honest outputs of CSS are fixed before the tickets are generated. Thus, the lottery tickets are independent of  $\mathbf{b}''$ . Since all tickets have the same probability of being the largest one, and all honest tickets are considered by all honest parties, the probability that the winning ticket is an honest one with bit  $\mathbf{b}''$  is at least  $\frac{1}{3}$ . Otherwise, we again end up in one of the cases 1-3.

**Case 4:** Assume that in some phase after Step 3 some honest party  $P_i$  has  $\mathbf{b}_i = \mathbf{b}$  and  $\text{grade}_i \geq 1$  while an other honest party  $P_j$  has  $\mathbf{b}_j = 1 - \mathbf{b}$  and  $\text{grade}_j \geq 1$ . We now show that this case can not happen. This would imply that in  $\text{Core}_i$  there are at least  $n - t$  tuples  $(\cdot, \mathbf{b})$  and in  $\text{Core}_j$  there are at least  $n - t$  tuples  $(\cdot, 1 - \mathbf{b})$ . As the sets have a common core-set



of size at least  $n - t$  we have that in the core-set there are  $n - 2t$  parties with tuples for both  $\mathbf{b}$  and  $1 - \mathbf{b}$ . This is a contradiction to Corollary 3.

Clearly the network is always in one of the four above case. In each possible case and in each phase, we have that once  $k \cdot \Delta_{\text{ABBA}}$  exceeds the de-synchronization of the parties, they end up in Case 1 in the next phase with probability at least  $1/3$ . This means that once  $k \cdot \Delta_{\text{ABBA}}$  is large enough, the expected number of phases needed to reach Case 1 is constant. Once in Case 1, they will stay there forever.  $\square$

Finally, we can show the properties.

**Termination:** If all honest parties have a  $J_{\text{in}}$ -justified input, then we start in one of the Cases 1-3.

Claim 2 implies that eventually we end up in Case 1 or Case 2. In particular, once the first honest party has grade 2 for  $\mathbf{b}$  all honest parties will decide with grade 2 on that bit. Thus all honest parties will eventually send out signed  $(\mathbf{b}_{\text{id}}, \text{WEAREDONE}, \mathbf{b})$ . Therefore all honest parties eventually output  $\mathbf{b}$  together with  $n - t$  signatures on  $(\mathbf{b}_{\text{id}}, \text{WEAREDONE}, \mathbf{b})$ .

We can give a bound on the expected number of phases in ABBA can be expressed with respect to the actual network delay  $\Delta$ . As long as  $k \cdot \Delta_{\text{ABBA}} < \Delta$ , in the worst-case parties are stuck in Case 3. This is the case for at most  $\frac{\Delta}{\Delta_{\text{ABBA}}}$  phases. Afterwards we have a probability of at least  $\frac{1}{3}$  to transition from Case 3 to Cases 1-2. Thus the expected number of phases is at most  $\frac{\Delta}{\Delta_{\text{ABBA}}} + c$  for some constant  $c$ .

**Consistency:** Once the first honest party sends  $(\mathbf{b}_{\text{id}}, \text{WEAREDONE}, \mathbf{b})$  all honest parties will converge in Case 1 with  $\mathbf{b}$ . Thus they all will all send out  $(\text{WEAREDONE}, \mathbf{b})$  as well. If an honest party outputs a bit, it must be  $\mathbf{b}$ . Note that this also ensures that there will no other  $J_{\text{out}}$ -justified bit.

**Validity:** Assume all honest parties input  $J_{\text{in}}$ -justified bit  $\mathbf{b}$ . Then in the first phase of Freeze, the honest parties are Case 1 of Claim 2. Thus all honest parties will decide on  $\mathbf{b}$  with grade 2 in the first phase. Thus they will not output any other bit  $\mathbf{b}'$ .

$\square$

*Remark 8.* In ABBA, there are three places (including two within CSS) where parties wait. These waiting times are effective once they exceed the de-synchronization of the parties (and are the reason our protocol is partially synchronous and not asynchronous): The first one in CSS ensures that all honest parties make it into the core-set, the second one in CSS ensures that all honest outputs of CSS are fixed before honest parties give their outputs (which in turn guarantees that these outputs do not depend on the lottery tickets in ABBA), and the last one in ABBA ensures that all honest lottery tickets arrive in time. By reordering the protocol and letting one instance of waiting take care of more than one property, it is possible to reduce the overall waiting time. Since this complicates the analysis, we do not discuss this further here.

## 6.4 WMVBA Protocol

We can now describe the actual WMVBA protocol. Each party inputs a  $J$ -justified proposal and gets a  $J_{\text{fin}}$ -justified output which is either a proposal or  $\perp$ .

The idea of is WMVBA to first call Freeze to boil down the choice to a unique proposal or  $\perp$ . Parties then use ABBA which one is the case. For ABBA the parties use some globally known  $\Delta_{\text{ABBA}}$  as the initial waiting time. We conjecture it works well in practice to set  $\Delta_{\text{ABBA}}$  equal to the expected network delivery time. Any value works in principle since we increase

the waiting time in each phase. In particular, a bad choice of  $\Delta_{\text{ABBA}}$  has no influence on the properties of  $\text{A}\delta\text{BBA}$ .

Note that it can happen that an honest party decides on  $\perp$  at the end of Freeze, but  $\text{A}\delta\text{BBA}$  nevertheless outputs  $\top$ . In this case, at least one honest party had a justified non- $\perp$  decision as output in Freeze. This decision is unique. So we must ensure that honest parties with  $\perp$  output in Freeze can somehow get their hands on that decision. For that, parties do not terminate Freeze once they get their output, but instead continue to collect decisions and vote-messages. By Lemma 4, this ensures that all honest parties will eventually receive the unique non- $\perp$  decision.

We define the following justification. First, we look at the justification for inputs of  $\text{A}\delta\text{BBA}$ . The idea is that parties input  $\perp$  (resp.  $\top$ ) to  $\text{A}\delta\text{BBA}$  if their  $J_{\text{dec}}$ -justified output of Freeze was  $(\mathbf{baid}, \text{FROZEN}, \perp)$  (resp.  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d})$  for  $\mathbf{d} \neq \perp$ ).

**Definition 20.** A bit  $\mathbf{b}$  is  $J_{\text{in}}$ -justified (*input justified*) for party  $P_i$  if  $P_i$  has a  $J_{\text{dec}}$ -justified tuple  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d})$  where  $\mathbf{d} \neq \perp$  if and only if  $\mathbf{b} \neq \perp$ .

Finally, we define the justification for outputs of  $\text{WMVBA}$ .

**Definition 21.** A decision  $\mathbf{d}$  is considered justified with respect to *final justification*  $J_{\text{fin}}$  for  $P_i$  if  $P_i$  has  $t + 1$  signatures on the message  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{d})$ .

Note that a  $\perp$  output from  $\text{A}\delta\text{BBA}$  is already  $J_{\text{fin}}$ -justified. The protocol formally works as follows:

**Protocol  $\text{WMVBA}(\mathbf{baid}, J)$**

Let  $\Delta_{\text{ABBA}}$  be a globally known estimate of the network delay. The protocol is described from the view point of party  $P_i$  which has  $J$ -justified input  $\mathbf{p}_i$ .

1. Run  $\text{Freeze}(\mathbf{baid}, J)$  with input  $\mathbf{p}_i$ . Denote by  $\mathbf{d}_i$  the  $J_{\text{dec}}$ -justified output for  $P_i$  from Freeze.
2. Run  $\text{A}\delta\text{BBA}(\mathbf{baid}, J_{\text{in}}, \Delta_{\text{ABBA}})$  with input  $\mathbf{b}_i$  where  $\mathbf{b}_i = \perp$  if  $\mathbf{d}_i = \perp$  and  $\mathbf{b}_i = \top$  otherwise. Denote by  $\mathbf{b}'_i$  the output of  $\text{A}\delta\text{BBA}$  for  $P_i$ .
3. If  $\mathbf{b}'_i = \perp$ , then terminate and output  $\mathbf{b}'_i$  (which is  $J_{\text{fin}}$ -justified) together with  $\mathbf{W} = \perp$ , otherwise (if  $\mathbf{b}'_i = \top$ ) do:
  - Once  $P_i$  has a  $J_{\text{dec}}$ -justified decision message  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_i)$  with  $\mathbf{d}_i \neq \perp$  (from Freeze) it sends signed  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{d}_i)$  to all other parties.
  - Once  $t + 1$  signed  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{d})$ , for some  $\mathbf{d}$ , have been received, terminate and output  $(\mathbf{d}, \mathbf{W})$ , where  $\mathbf{W}$  contains  $\mathbf{baid}$  and  $t + 1$  of these signatures.

**Theorem 2.** For  $t < \frac{n}{3}$  the protocol  $\text{WMVBA}$  satisfies consistency, weak validity,  $n/3$ -support, and termination.

*Proof.* We begin by showing that for  $\text{A}\delta\text{BBA}$  validity is equivalent to 1-support. Assume validity holds. If parties have different inputs 1-support follows directly. Otherwise if all honest parties have the same input, then validity implies that they output this value. Assume 1-support holds and all parties input the same bit. By 1-support they must output this bit.

Next, we prove each individual property.

**Consistency:** Consider two honest parties  $P_i, P_j$  with  $J_{\text{fin}}$ -justified outputs  $\mathbf{d}_i$  and  $\mathbf{d}_j$ . Assume that they are different.

**case i)** Assume that without loss of generality  $\mathbf{d}_i = \perp$  and thus  $\mathbf{d}_j \neq \perp$ . In this case  $P_i$  had output  $\perp$  from  $\text{A}\delta\text{BBA}$  and  $P_j$  had output  $\top$  from  $\text{A}\delta\text{BBA}$ . This contradicts the consistency property of  $\text{A}\delta\text{BBA}$ .

**case ii)** Assume that both  $\mathbf{d}_i$  and  $\mathbf{d}_j$  are not equal to  $\perp$ . Then, both parties  $P_i$  and  $P_j$  got  $\top$  as output from  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . This implies that at least one honest party  $P_k$  had input  $\top$  to  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$  due to the 1-support of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . This party  $P_k$  must have had  $J_{\text{dec}}$ -justified output  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_k)$  from Freeze (with  $\mathbf{d}_k \neq \perp$ ).

Let without loss of generality  $\mathbf{d}_i \neq \mathbf{d}_k$ , then it must be that  $P_i$  collected at least  $t + 1$  signed messages  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{d}_i)$  of which *at least* one must have been broadcast by an honest party  $P_l$ . That party  $P_l$  must consider  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_i)$  to be  $J_{\text{dec}}$ -justified. This is a contradiction to the weak consistency of Freeze.

Thus, the output of honest parties must be the same.

**Weak Validity:** Assume that there exists a  $\mathbf{d}$  such that any  $\mathbf{d}' \neq \mathbf{d}$  is not  $J$ -justified during the protocol run.

The weak validity of Freeze implies that no  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}')$  with  $\mathbf{d}' \neq \mathbf{d}$  is output by an honest party in Freeze. In particular,  $(\mathbf{baid}, \text{FROZEN}, \perp)$  cannot become  $J_{\text{dec}}$ -justified. So  $\perp$  is not a  $J_{\text{in}}$ -justified input for  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ .

So all honest parties will input  $\top$  to  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . Hence by the validity of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$  it follows that  $\perp$  is not a  $J_{\text{out}}$ -justified output for  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . Therefore neither  $\perp$  nor a decision  $\mathbf{d}' \neq \mathbf{d}$  can be an  $J_{\text{in}}$ -justified output of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ .

**$n/3$ -Support:** Assume that honest party  $P_i$  outputs  $\mathbf{d}_i \neq \perp$ .

Therefore  $P_i$  had output  $\top$  from  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . By 1-support of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$  at least one honest party  $P_j$  had input  $\top$  to  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . This party  $P_j$  must have had  $J_{\text{dec}}$ -justified output  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_j)$  from Freeze with  $\mathbf{d}_j \neq \perp$ .

We also know that  $P_i$  collected at least  $t + 1$  signed  $(\mathbf{baid}, \text{WEAREDONE}, \mathbf{d}_i)$ . So, at least one honest party considers  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_i)$  to be  $J_{\text{dec}}$ -justified. By Corollary 1 we must have  $\mathbf{d}_i = \mathbf{d}_j$ . The  $n - 2t$ -support property of Freeze implies that at least  $n - 2t$  honest parties had input  $\mathbf{d}_i$  for Freeze. This means that at least  $\frac{n}{3}$  honest parties had input  $\mathbf{d}_i$  for WMVBA.

**Termination:** Assume that all honest parties have a  $J$ -justified proposal as input. By the termination property of Freeze all honest parties will have a  $J_{\text{dec}}$ -justified output. Thus they all have a  $J_{\text{in}}$ -justified input for  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . By the termination property of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$  they all have an  $J_{\text{out}}$ -justified output from  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . Consider the following cases.

**case i):** Assume honest party  $P_i$  has  $J_{\text{out}}$ -justified output  $\perp$  from  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . Then  $P_i$  output  $J_{\text{in}}$ -justified  $\perp$ .

**case ii):** Assume honest party  $P_i$  has  $J_{\text{out}}$ -justified output  $\top$  from  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . The 1-support of  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$  implies that at least one honest party  $P_j$  had input  $\top$  for  $\mathbf{A}\mathbf{B}\mathbf{B}\mathbf{A}$ . Thus party  $P_j$  had  $J_{\text{dec}}$ -justified output  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_j)$  from Freeze with  $\mathbf{d}_j \neq \perp$ . Lemma 4 implies that eventually all honest parties will accept  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}_j)$  as  $J_{\text{dec}}$ -justified. Thus  $P_i$  will eventually output a  $J_{\text{dec}}$ -justified decision.

□

**Message complexity.** We observe that in WMVBA all messages are multi-cast, i.e., addressed to all parties. In the following we thus count the number of multi-cast messages sent by (honest) parties.

**Lemma 7.** *Let  $\Delta$  be the actual network delay. Then WMVBA has an expected message complexity of  $\mathcal{O}(\frac{\Delta}{\Delta_{\text{ABBA}}}n^2)$ .*

*Proof.* In Freeze honest each party sends 2 messages, thus we have a message complexity of  $2n$ . In each phase of A $\bar{\text{B}}$ BA the parties run CSS which has a message complexity of  $2n + n^2$  and each send one message. Thus one phase consists of  $3n + n^2$  messages. The expected number of phases is  $\frac{\Delta}{\Delta_{\text{ABBA}}} + c$  for some small constant  $c$  (see proof of Lemma 6). At the end of A $\bar{\text{B}}$ BA each party sends an additional message. Thus A $\bar{\text{B}}$ BA as an expected message complexity of  $(3n + n^2)(\frac{\Delta}{\Delta_{\text{ABBA}}} + c) + n$ . Finally, at the end of WMVBA an additional  $n$  messages might be sent. So overall we have

$$4n + (3n + n^2)\left(\frac{\Delta}{\Delta_{\text{ABBA}}} + c\right) = \frac{\Delta}{\Delta_{\text{ABBA}}}(3n + n^2) + (4 + 3c)n + cn^2.$$

So WMVBA has an expected message complexity of  $\mathcal{O}(\frac{\Delta}{\Delta_{\text{ABBA}}}n^2)$ .  $\square$

## 6.5 Filtered WMVBA Protocol

As described before, FilteredWMVBA is a variant of the WMVBA protocol for blockchains without the DCGrowth property. It has a stronger validity guarantee such that we do not need a unique justified proposal to achieve finalization. Instead, it is enough if all honest parties agree on a proposal. However, this comes at the cost that FilteredWMVBA only offers 1-support instead of  $n/3$ -support. Technically, FilteredWMVBA is the same as WMVBA except we use a slightly altered Freeze subprotocol called FilteredFreeze.

**Filtered Freeze.** FilteredFreeze is a variant of the Freeze protocol. It is essentially Freeze with an additional step where proposals with low support are filtered out. It provides a stronger validity guarantee. This comes at the cost of a lower support guarantee. Each party honest  $P_i$  has a  $J$ -justified input  $\mathbf{p}_i$  and the output of  $P_i$  is justified by justification  $J_{\text{dec}}$  (cf. Definition 13). The protocol has the following properties.

**Weak Consistency:** If some honest  $P_i$  and  $P_j$  output decisions  $\mathbf{d}_i \neq \perp$  respectively  $\mathbf{d}_j \neq \perp$ , then  $\mathbf{d}_i = \mathbf{d}_j$ .

**Validity:** If all honest parties input the same  $J$ -justified proposal  $\mathbf{p}$ , then no honest  $P_j$  outputs a decision  $\mathbf{p}''$  with  $\mathbf{p}'' \neq \mathbf{p}$ .

**1-Support:** If honest party  $P_i$  outputs decision  $\mathbf{d}_i \neq \perp$ , then at least one honest party had  $\mathbf{d}_i$  as input.

**Termination:** If all honest parties input some justified proposal, then eventually all honest parties output some decision.

For the new filter step we need the following justification.

**Definition 22.** A filtered proposal message  $m = (\text{baid}, \text{FILTERED}, \mathbf{p}, \sigma)$  is considered  $J_{\text{filt}}$ -justified for  $P_j$  if either  $\sigma$  contains  $J_{\text{prop}}$ -justified proposal messages for  $\mathbf{p}$  from  $t + 1$  different parties or  $\sigma$  contains  $J_{\text{prop}}$ -justified proposal messages from  $n - t$  different parties such that no proposal is contained in more than  $t$  of those messages.

Vote messages are now cast after the filter step and depend on filtered proposal messages. We thus redefine the justification for vote messages as follows. The definition of  $J_{\text{dec}}$  (relative to the redefined  $J_{\text{vote}}$ ) stays the same as for Freeze.

**Definition 23.** A vote message  $m = (\mathbf{baid}, \text{VOTE}, \mathbf{v})$  from  $P_i$  is considered  $J_{\text{vote}}$ -justified for  $P_j$  if is signed by  $P_i$  and either for  $\mathbf{v} \neq \perp$   $P_j$  has collected  $J_{\text{filt}}$ -justified filtered proposal messages from at least  $n - 2t$  parties or for  $\mathbf{v} = \perp$   $P_j$  has collected  $J_{\text{filt}}$ -justified filtered proposal messages  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}, \sigma)$  and  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}', \sigma')$  (from two different parties) where  $\mathbf{p}' \neq \mathbf{p}$ .

**Protocol FilteredFreeze**( $\mathbf{baid}, J$ )

Each (honest) party  $P$  has a  $J$ -justified proposal  $\mathbf{p}$  as input. Party  $P$  does the following:

**Propose:**

1. Broadcast signed proposal message  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{p})$ .

**Filter:**

1. Collect proposal messages  $(\mathbf{baid}, \text{PROPOSAL}, \mathbf{p}_i)$ . Once  $J_{\text{prop}}$ -justified proposal messages from at least  $n - t$  parties have been collected do the following (but keep collecting proposal messages).
  - (a) If your input  $\mathbf{p}$  is contained in at least  $t + 1$   $J_{\text{prop}}$ -justified proposal messages, broadcast filtered proposal message  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}, \sigma)$  where  $\sigma$  is a set of  $t + 1$  signed proposal messages which all contain  $\mathbf{p}$ .
  - (b) Else if there is any  $\mathbf{p}'$  which is contained in at least  $t + 1$   $J_{\text{prop}}$ -justified proposal messages, broadcast filtered proposal message  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}', \sigma)$  where  $\sigma$  is a set of  $t + 1$  signed proposal messages which all contain  $\mathbf{p}$ . Do this for at most one proposal.
  - (c) Else broadcast  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}, \sigma)$  where  $\sigma$  is a set of  $n - t$  signed proposal messages such that no proposal is contained in more than  $t$  of those proposal messages.

**Vote:**

2. Collect filtered proposal messages  $(\mathbf{baid}, \text{FILTERED}, \mathbf{p}_i)$ . Once  $J_{\text{filt}}$ -justified filtered proposal messages from at least  $n - t$  parties have been collected do the following (but keep collecting filtered proposal messages).
  - (a) If  $J_{\text{filt}}$ -justified filtered proposal messages from at least  $n - t$  parties contain the same proposal  $\mathbf{p}$ , broadcast vote message  $(\mathbf{baid}, \text{VOTE}, \mathbf{p})$ .
  - (b) Otherwise broadcast vote message  $(\mathbf{baid}, \text{VOTE}, \perp)$ .

**Freeze:**

3. Collects vote messages  $(\mathbf{baid}, \text{VOTE}, \mathbf{p}_i)$  messages. Once  $J_{\text{vote}}$ -justified vote messages from at least  $n - t$  parties have been collected and there is a value contained in at least  $t + 1$  vote messages do the following.
  - (a) If  $J_{\text{vote}}$ -justified vote messages from strictly more than  $t$  parties contain the same  $\mathbf{p} \neq \perp$  output  $(\mathbf{baid}, \text{FROZEN}, \mathbf{p})$ .
  - (b) Otherwise if  $J_{\text{vote}}$ -justified vote messages from strictly more than  $t$  parties contain  $\perp$  output  $(\mathbf{baid}, \text{FROZEN}, \perp)$ .
4. Keep collecting vote messages until WMVBA is terminated (i.e., until  $P_i$  gets an output in WMVBA). Party  $P_i$  keeps track of all decisions  $(\mathbf{baid}, \text{FROZEN}, \mathbf{p})$  which become  $J_{\text{dec}}$ -justified.

**Lemma 8.** For  $t < \frac{n}{3}$  the protocol FilteredFreeze satisfies weak consistency, validity, 1-support, and termination. The outputs of honest parties are  $J_{\text{dec}}$ -justified.

*Proof.* **Weak Consistency:** Assume that some honest party sends  $J_{\text{vote}}$ -justified  $(\mathbf{baid}, \text{VOTE}, \mathbf{d})$  for  $\mathbf{d} \neq \perp$ . It must have received  $J_{\text{filt}}$ -justified filtered proposal messages for  $\mathbf{d}$  from at least  $n - t$  different parties. Thus at most  $t$  honest parties sent  $J_{\text{filt}}$ -justified filtered proposal messages for  $\mathbf{d}'$  where  $\mathbf{d}' \neq \mathbf{d}$ . Therefore at most  $2t < n - t$  parties sent  $J_{\text{filt}}$ -justified filtered proposal messages for  $\mathbf{d}'$  where  $\mathbf{d}' \neq \mathbf{d}$ . Therefore no honest party will send a  $J_{\text{vote}}$ -justified vote message for  $\mathbf{d}'$  for  $\mathbf{d}' \neq \mathbf{d}$ . Therefore, in **Freeze**, if two honest parties output  $J_{\text{dec}}$ -justified  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d})$  and  $(\mathbf{baid}, \text{FROZEN}, \mathbf{d}')$ , then  $\mathbf{d} = \mathbf{d}'$ .

**Validity:** Assume all honest parties have  $J$ -justified input  $\mathbf{d}$ .

So all honest parties will send out  $J_{\text{prop}}$ -justified proposal messages for  $\mathbf{d}$ .

So all honest parties will receive at least  $t + 1$   $J_{\text{prop}}$ -justified proposal messages for  $\mathbf{d}$  and thus all send out  $J_{\text{filt}}$ -justified filtered proposal messages for  $\mathbf{d}$ .

On the other hand for any  $\mathbf{d}' \neq \mathbf{d}$  there are no  $t + 1$   $J_{\text{prop}}$ -justified proposal messages for  $\mathbf{d}'$ . Also any set of  $J_{\text{prop}}$ -justified proposal messages from  $n - t$  different parties will contain at least  $t + 1$  proposal messages for  $\mathbf{d}$ . This means that no  $J_{\text{filt}}$ -justified filtered proposal message for  $\mathbf{d}'$  can exist.

Thus all honest parties will vote for  $\mathbf{d}$  while no other  $J_{\text{vote}}$ -justified can exist.

Thus all honest parties will output  $(\text{baid}, \text{FROZEN}, \mathbf{d})$  which is  $J_{\text{dec}}$ -justified while no other  $J_{\text{dec}}$ -justified can exist.

**1-Support:** Assume honest party  $P_i$  outputs  $\mathbf{d}_i \neq \perp$ . Then it collected at least  $t + 1$  votes for  $\mathbf{d}_i$ . So at least one honest party sent out a vote for  $\mathbf{d}_i$ . This party must have collected at least  $t + 1$  filtered proposals for  $\mathbf{d}_i$ . So at least one honest party sent out a filtered proposal message for  $\mathbf{d}_i$ . This party must have collected at least  $t + 1$  proposal messages for  $\mathbf{d}_i$ . So at least one honest party had input  $\mathbf{d}_i$ .

**Termination:** Note that all used justifications are eventual justifications.

Every honest party will send out a justified proposal message. Thus all honest parties will eventually receive  $J_{\text{prop}}$ -justified proposal message from  $n - t$  different parties. They therefore send out all filtered proposal messages. Thus all honest parties will eventually receive  $J_{\text{filt}}$ -justified filtered proposal messages from  $n - t$  different parties and send out vote messages. So eventually they will all collect  $J_{\text{vote}}$ -justified vote messages from  $n - t$  and thus all output a decision. □

Similar to Lemma 4 for Freeze we get.

**Lemma 9.** *Assume any message received by an honest party will eventually be received by all other honest parties. If an honest party  $P_i$  outputs ( $J_{\text{dec}}$ -justified) decision  $\mathbf{d}_i \neq \perp$  in FilteredFreeze, then eventually all honest parties will accept  $\mathbf{d}_i$  has  $J_{\text{dec}}$ -justified.*

The proof follows along the lines of the proof for Lemma 4.

**Filtered WMVBA.** The protocol FilteredWMVBA is identical to WMVBA where Freeze is replaced by FilteredFreeze.

**Theorem 3.** *For  $t < \frac{n}{3}$  the protocol FilteredWMVBA satisfies consistency, validity, 1-support, and termination.*

*Proof.* We begin by showing that for ABBA validity is equivalent to 1-support. Assume validity holds. If parties have different inputs 1-support follows directly. Otherwise if all honest parties have the same input, then validity implies that they output this value. Assume 1-support holds and all parties input the same bit. By 1-support they must output this bit.

Next, we prove each individual property.

**Consistency:** Consider two honest parties  $P_i, P_j$  with  $J_{\text{fin}}$ -justified outputs  $\mathbf{d}_i$  and  $\mathbf{d}_j$ . Assume that they are different.

- case i) Assume that without loss of generality  $d_i = \perp$  and thus  $d_j \neq \perp$ . In this case  $P_i$  had output  $\perp$  from  $\text{A}\mathcal{B}\text{B}\text{A}$  and  $P_j$  had output  $\top$  from  $\text{A}\mathcal{B}\text{B}\text{A}$ . This contradicts the consistency property of  $\text{A}\mathcal{B}\text{B}\text{A}$ .
- case ii) Assume that both  $d_i$  and  $d_j$  are not equal to  $\perp$ . Then, both parties  $P_i$  and  $P_j$  got  $\top$  as output from  $\text{A}\mathcal{B}\text{B}\text{A}$ . This implies that at least one honest party  $P_k$  had input  $\top$  to  $\text{A}\mathcal{B}\text{B}\text{A}$  due to the 1-support of  $\text{A}\mathcal{B}\text{B}\text{A}$ . This party  $P_k$  must have had  $J_{\text{dec}}$ -justified output  $(\text{baid}, \text{FROZEN}, d_k)$  from  $\text{FilteredFreeze}$  (with  $d_k \neq \perp$ ).
- Let without loss of generality  $d_i \neq d_k$ , then it must be that  $P_i$  collected at least  $t + 1$  signed messages  $(\text{baid}, \text{WEAREDONE}, d_i)$  of which *at least* one must have been broadcast by an honest party  $P_l$ . That party  $P_l$  must consider  $(\text{baid}, \text{FROZEN}, d_i)$  to be  $J_{\text{dec}}$ -justified. This is a contradiction to the weak consistency of  $\text{FilteredFreeze}$ .

Thus, the output of honest parties must be the same.

**Validity:** Assume that all honest parties input  $J$ -justified  $d$ .

The validity of  $\text{FilteredFreeze}$  implies that no  $(\text{baid}, \text{FROZEN}, d')$  with  $d' \neq d$  is output by an honest party in  $\text{Freeze}$ . In particular,  $(\text{baid}, \text{FROZEN}, \perp)$  cannot become  $J_{\text{dec}}$ -justified. So  $\perp$  is not a  $J_{\text{in}}$ -justified input for  $\text{A}\mathcal{B}\text{B}\text{A}$ .

So all honest parties will input  $\top$  to  $\text{A}\mathcal{B}\text{B}\text{A}$ . Hence by the validity of  $\text{A}\mathcal{B}\text{B}\text{A}$  it follows that  $\perp$  is not a  $J_{\text{out}}$ -justified output for  $\text{A}\mathcal{B}\text{B}\text{A}$ . Therefore neither  $\perp$  nor a decision  $d' \neq d$  can be an  $J_{\text{fin}}$ -justified output of  $\text{A}\mathcal{B}\text{B}\text{A}$ .

**1-Support:** Assume that honest party  $P_i$  outputs  $d_i \neq \perp$ .

Therefore  $P_i$  had output  $\top$  from  $\text{A}\mathcal{B}\text{B}\text{A}$ . By 1-support of  $\text{A}\mathcal{B}\text{B}\text{A}$  at least one honest party  $P_j$  had input  $\top$  to  $\text{A}\mathcal{B}\text{B}\text{A}$ . This party  $P_j$  must have had  $J_{\text{dec}}$ -justified output  $(\text{baid}, \text{FROZEN}, d_j)$  from  $\text{FilteredFreeze}$  with  $d_j \neq \perp$ . The 1-support of  $\text{FilteredFreeze}$  implies that at least on honest party had input  $d_j$ . This party had input  $d_j$  to  $\text{FilteredWMVBA}$ .

**Termination:** Assume that all honest parties have a  $J$ -justified proposal as input. By the termination property of  $\text{FilteredFreeze}$  all honest parties will have a  $J_{\text{dec}}$ -justified output. Thus they all have a  $J_{\text{in}}$ -justified input for  $\text{A}\mathcal{B}\text{B}\text{A}$ . By the termination property of  $\text{A}\mathcal{B}\text{B}\text{A}$  they all have an  $J_{\text{out}}$ -justified output from  $\text{A}\mathcal{B}\text{B}\text{A}$ . Consider the following cases.

**case i):** Assume honest party  $P_i$  has  $J_{\text{out}}$ -justified output  $\perp$  from  $\text{A}\mathcal{B}\text{B}\text{A}$ . Then  $P_i$  output  $J_{\text{fin}}$ -justified  $\perp$ .

**case ii):** Assume honest party  $P_i$  has  $J_{\text{out}}$ -justified output  $\top$  from  $\text{A}\mathcal{B}\text{B}\text{A}$ . The 1-support of  $\text{A}\mathcal{B}\text{B}\text{A}$  implies that at least one honest party  $P_j$  had input  $\top$  for  $\text{A}\mathcal{B}\text{B}\text{A}$ . Thus party  $P_j$  had  $J_{\text{dec}}$ -justified output  $(\text{baid}, \text{FROZEN}, d_j)$  from  $\text{FilteredFreeze}$  with  $d_j \neq \perp$ . Lemma 9 implies that eventually all honest parties will accept  $(\text{baid}, \text{FROZEN}, d_j)$  as  $J_{\text{dec}}$ -justified. Thus  $P_i$  will eventually output a  $J_{\text{dec}}$ -justified decision. □

**Message Complexity** The message complexity of  $\text{FilteredWMVBA}$  is similar to the message complexity of  $\text{WMVBA}$ .

**Lemma 10.** *Let  $\Delta$  be the actual network delay. Then  $\text{FilteredWMVBA}$  has an expected message complexity of  $\mathcal{O}(\frac{\Delta}{\Delta_{\text{ABBA}}} n^2)$ .*

*Proof.* In  $\text{FilteredFreeze}$  parties send  $n$  more messages than in  $\text{Freeze}$ . Thus the overall message complexity is still dominated by the  $n^2$  from  $\text{A}\mathcal{B}\text{B}\text{A}$  (see proof of Lemma 7) We get that  $\text{FilteredWMVBA}$  has an expected message complexity of  $\mathcal{O}(\frac{\Delta}{\Delta_{\text{ABBA}}} n^2)$ . □

## 7 Security Analysis of Finalization

In this section we show that the protocol described in Section 5 is a finality protocol as defined in Section 4.

**Theorem 4.** *For  $t < \frac{n}{3}$  and a blockchain satisfying common prefix, chain quality, bounded chain growth, and DCGrowth, there exists a  $\Delta$  such that the protocol described in Section 5 satisfies  $(\Delta, n/3)$ -finality.*

*Proof.* We show each property individually.

**Agreement:** We proof the property by induction.

The statement is true at the beginning of the protocol ( $k = 0$ ).

So assume the statement holds for  $k - 1$ . An honest party will call  $(\text{SETFINAL}, \cdot)$  for the  $k$ -th time after getting output  $R_i$  from Finalization. The agreement property of WMVBA (cf. Theorem 2) guarantees that all honest parties output the same  $R_i$ . Thus they will all input  $(\text{SETFINAL}, R_i)$ .

**Chain-forming:** Consider an honest party  $P_i$  which at time  $\tau$  inputs  $(\text{SETFINAL}, R)$ . Let  $\text{lastFinal}_i$  be the last finalized block of  $P_i$ . As  $P_i$  is honest  $R$  was the output of Finalization. In Finalization the WMVBA protocol is used to agree on  $R$ . The support property of WMVBA (cf. Theorem 2) implies that  $R$  was input by at least one honest party  $P_j$ . By the design of Finalization party  $P_j$  selected  $R$  in the subtree of  $\text{lastFinal}_j$  (at that time). By the agreement property we have  $\text{lastFinal}_i = \text{lastFinal}_j$  and it follows that  $\text{lastFinal}_i \in \text{PathTo}(\text{Tree}_i^\tau, R)$ . As the output of NextFinalizationGap is  $\geq 1$  we have that  $R$  is at greater depth than  $\text{lastFinal}_i$ . So  $R \neq \text{lastFinal}_i$ .

**$n/3$ -Support:** Consider honest party  $P_i$  at time  $\tau$  inputting  $(\text{SETFINAL}, R)$ . As  $P_i$  is honest  $R$  was the output of Finalization. In Finalization the WMVBA protocol is used to agree on  $R$ . The  $n/3$ -support property of WMVBA (cf. Theorem 2) implies that  $R$  was input by at least  $n/3$  honest parties. By the design of Finalization these parties selected  $R$  as on their Path.

**$\Delta$ -Updated:** First, we show that any invocation of Finalization eventually terminates. As the blockchain satisfies chain growth we know that all honest parties will eventually start WMVBA in each execution of the repeat until loop of Finalization. Note also that all honest parties have a justified input to WMVBA so it will terminate. The parties will exit the loop if WMVBA outputs a non- $\perp$  decision. Let  $\delta_{\text{freeze}}$  be an upper bound on the duration of the Freeze sub-protocol. If the blockchain satisfies the UJP, then for the given depth  $d$  of the to-be-finalized block and any time  $\tau$ , there exists a  $\gamma_0$  such that for all  $\gamma \geq \gamma_0$  we have that there is a time period of length  $\delta_{\text{freeze}}$  where there is a unique justified proposal and all honest parties will have that proposal on their path. This implies by the weak validity and termination property of WMVBA that eventually Finalization will terminate with a new finalized block  $\text{lastFinal}$  at depth  $d$ .

It remains to show that the protocol achieves  $\Delta$ -updated. For this we give an upper bound on the gap between the last finalized block and the maximal depth of an honest position. Ideally, the depth  $d$  of the last finalized block is roughly the maximal depth of an honest position. We observe that there are two cases where the depth of the last finalized block can lag behind. In the first case, finalization itself fell behind the tree growth. In the second case, the depth  $d'$  of the next finalized block is set larger than the current maximal



depth of an honest position. Until some honest party reaches depth  $d$ , no new finalized block is created. Thus, the gap to the last finalized block can grow up to  $d' - d$ . To achieve an upper bound on the gap, we proceed as follows. We first give a bound for the first case and then use this to bound the gap in the second case.

We assume an upper-bound on chain-growth. This implies that within one finalization attempt the chain-growth is bounded by some constant. Let  $d$  be the depth of the next finalized block. Then we assume that the positions of honest parties grow at most  $b$  in depths, between the time some party first reaches depth  $d$  (start of finalization) and the time the last honest party receives a witness for the finalization of a block at depth  $d$  (end of finalization).

For the first case consider the following situation. A block at depth  $d$  was just finalized and the maximal depth of an honest position is  $d + x$ . In other words, finalization lags behind and we have a gap of  $x$  blocks. As it lags behind, finalization will try to catch up by doubling  $\ell$  (cf. Lemma 1). However, as long as  $\ell < b$ , the gap will increase. In the worst-case the initial  $\ell$  is 1. After  $\lceil \log_2(b) \rceil$  finalizations we have  $\ell \geq b$ , and during each finalization, the gap can increase by at most  $b$ . The gap in the catch-up phase can therefore be loosely bounded by  $x + \lceil \log_2(b) \rceil \cdot b$ .

To get a bound for the first case, it remains to show that  $x$  is bounded as well. It is enough to bound  $x$  for the case where  $\ell$  after the finalization at depth  $d$  was decreased (or stayed at the minimum of  $\ell = 1$ ). Otherwise, the finalization at depth  $d$  is part of a larger catch-up phase and we just consider the  $x'$  and  $d'$  at the beginning of this larger phase. If  $d = 1$ , i.e., at the beginning of the protocol, we have  $x \leq 1$ . Otherwise, we know that at the point when  $d$  was selected as the next finalization depth, the maximal depth of an honest position was less than  $d$ . So at the start of the finalization for depth  $d$ , the maximal depth of an honest position was  $d$ . Thus, at the end of the finalization this depth was at most  $d + b$ , and thus  $x \leq b$ . We conclude that in the first case the gap is bounded by  $b + \lceil \log_2(b) \rceil \cdot b$ .

Finally consider the second case. Again, let  $d$  be the depth of the block which was just finalized. Assume that the depth  $d' = d + \ell$  of the next finalized block is set larger than the current maximal depth of an honest position. The gap in this case is bounded by  $d' - d = \ell$ . So we need to bound  $\ell$ . Note that  $\ell$  is maximal after it has been increased for the last time. According to Lemma 1, the value of  $\ell$  gets decreased if the next finalized block is at least  $c := \rho_{\text{pgrowth}} \cdot \Delta_{\text{net}} + \Delta_{\text{pgrowth}} + \ell_{\text{pq}}$  blocks deeper than the positions of all honest parties. By the analysis in the first case, we are never behind more than  $b + \lceil \log_2(b) \rceil \cdot b$  blocks. This means that as soon as  $\ell$  reaches the value  $b + \lceil \log_2(b) \rceil \cdot b + c$ , it can be double at most once more before it will be reduced. Hence, we obtain an overall gap bound of  $\Delta := 2(b + \lceil \log_2(b) \rceil \cdot b + c)$ .  $\square$

### Finalization with Filtered Byzantine Agreement.

**Theorem 5.** *For  $t < \frac{n}{3}$ , and a blockchain satisfying common-prefix there exists a  $\Delta$  such that the protocol described in Section 5 where calls to WMVBA replaced by calls to FilteredWMVBA satisfies  $(\Delta, 1)$ -finality.*

*Proof.* The agreement and chain-forming properties follow as in the proof of Theorem 4 as FilteredWMVBA as 1-support. Similarly, the 1-support property follows directly from the 1-support of FilteredWMVBA.

It remains to check the  $\Delta$ -updated property. First, we show that any invocation of Finalization eventually terminates. As the blockchain satisfies chain growth we know that all honest parties

will eventually start `FilteredWMVBA` in each execution of the repeat until loop of `Finalization`. Note also that all honest parties have a justified input to `WMVBA` so it will terminate. The parties will exit the loop if `WMVBA` outputs a non- $\perp$  decision. By the common-prefix property of the underlying blockchain and the increasing  $\gamma$  in `Finalization`, all honest parties will eventually input the same justified proposal. This implies by the validity and termination property of `FilteredWMVBA` that eventually `Finalization` will terminate with a new finalized block `lastFinal` at depth  $d$ . The actual  $\Delta$ -updated property follows as in the proof of Theorem 4.  $\square$

## 8 Committee Selection

The protocol of Section 5 is (intentionally) described in a simplified setting that abstracts away many aspects of the underlying blockchain. We stress, however, that our goal is to present a finality layer, and *not* a full-fledged blockchain. Therefore, the reason for considering a simplified setting is that by abstracting the properties of the underlying blockchain, we end up with a protocol that is generic enough to be used in tandem with virtually *any* Nakamoto-style blockchain. Hence, if the underlying blockchain has properties such as permissionlessness and dynamic stakes then our protocol can preserve those properties.

Properly selecting a committee is a challenging task that has been extensively studied [25, 16, 17]. The appropriate strategy to select a finalization committee is highly tied to the specific type of blockchain one considers. Therefore, it is out of the scope of this paper to propose a definitive answer on how to select a committee for each particular setting. We do however discuss some possible approaches that can be used to select the finalization committee in a few settings. We can categorize committees into two main categories, namely *external committees* and *chain-based committees*. We discuss both next.

### 8.1 External Committees

An external committee is usually selected prior to the deployment of the system, and can be dynamic or static during the lifetime of the system. External committees are more common in *permissioned* blockchain applications, where there are restrictions to parties joining the system. As an example, consider a blockchain backed by a foundation (e.g., Ethereum); the selection of the committee to run the finality layer can be initially chosen by the foundation, perhaps among a few nodes that are previously registered with the foundation to perform the task. The committee can be later updated during the lifetime of the system; the only requirement is that the corrupted nodes compose less than  $1/3$  of the total number parties. We stress that allowing a *permissioned* committee for the finality layer does not make the protocol trivial or the result any weaker; in fact, it shows that our protocol is flexible enough to allow virtually all types of blockchains to take advantage of finality capabilities.

### 8.2 Chain-Based Committees

Chain-based committees are deterministically selected from the blockchain itself. To abstract the selection procedure from the underlying blockchain we define an interface  $C = \text{FC}(\text{Tree}, B)$  for a function that takes as input the current blocktree `Tree` and a block  $B$  and selects a committee  $C$ . The actual function `FC` is implemented by the underlying blockchain and can select the committee in an arbitrary way, e.g., read all the state data in the previous epoch plus any auxiliary information that might have been added via a survey layer (e.g., live nodes information), and from this data select the committee  $C$  including each party's stake. It is important to note that the committee  $C$  is deterministically selected from  $B \in \text{Tree}$  and the

Target block time (s)		Finalization gap					Avg. block time (s)		# Tx
		Time (s)		# Blocks		# Blocks			
		Mean	SD	Mean	SD				
# Finalizers	Mean	SD	Mean	SD	# Blocks	time (s)	# Tx		
1	10	8.4	3.7	6.4	2.5	2776	1.3	359 990	
	100	7.3	3.1	5.6	2.1	2775	1.3	359 968	
	1000	19.3	6.1	10.3	3.1	1991	1.8	359 232	
15	10	69.9	41.8	3.6	1.2	189	19.0	355 386	
	100	66.2	35.4	3.6	1.2	190	18.9	359 045	
	1000	84.6	44.2	3.8	1.2	168	21.4	360 955	

Table 1: Experimental results.

path from  $B$  to the genesis block. The committee  $C$  is selected by invoking the function  $\text{FC}$  and passing the current tree  $\text{Tree}$  and the last finalized block  $B$  as input.

**Chain-based committees in PoW.** In a PoW blockchain miners employ computational power to solve a hash puzzle to eventually get the right to append a new block to the chain. By inspecting the history of mined blocks, one can infer the proportion of computational power each party (or public key) possess in relation to the overall system within some time period. To select a committee in a PoW chain, one could employ similar techniques from [25, 16, 17] and consider a sliding time window (e.g., last 1000 blocks) that ends just before the last final block (initially one can consider a pre-selected committee in the genesis block), where the miners within the time window would constitute the committee, with the voting “power” of a finalizer being scaled by how many of the blocks this finalizer mined. Note that this approach requires high chain-quality to ensure an honest majority in the committee. High chain quality can, e.g., be achieved by an approach such as the one underlying the FruitChain protocol [24]. Further note that the previously described committee selection strategy assumes synchronicity. This, however does *not* imply that Afgjort is synchronous, but rather that it supports many different strategies of committee selection.

**Chain-based committees in PoS.** To instantiate the function  $\text{FC}$  for PoS blockchains one could use the data and stake distribution from the chain and run the committee selection as a VRF lottery using the party’s stake as the “lottery tickets”, as is done in Algorand [19] and Ouroboros Praos [10]; the more stake one has the higher is the probability of being selected, and the higher the voting “power” is. A similar approach would be to run the selection based on the party’s stake by using randomness produced by a coin tossing protocol ran by all the online parties in the previous epoch, as is done in Ouroboros [15].

## 9 Experimental Results

In order to experimentally evaluate Afgjort, we ran a number of experiments using an industrially developed implementation of the protocol. As the underlying NSB, we use the PoS blockchain Ouroboros Praos [10]. Our test network consisted of 1000 baker nodes (i.e., nodes producing blocks) distributed in two datacentres with low-latency links (physical latency in the 1–2 ms range).




Figure 3: Histograms of block finalization latency in seconds with different target block times (TBT) and finalization committee sizes.

We ran six experiments varying the size of the finalization committee between 10, 100 and 1000 members, and varying the expected block production rate of the underlying blockchain between 1 and 15 seconds per block. In each configuration, there were 1000 baker nodes, and the finalizers were chosen randomly among them. To provide a load, 100 transactions were submitted to the system each second. The slot time of the underlying blockchain was fixed at 0.1 seconds; the block production rate was controlled by choosing the difficulty parameter. In each experiment, the network was started and allowed to stabilise for 1 hour; the sample window was the blocks that were created in the second hour of operation (according to their slot times).

Table 1 shows the results of these experiments. The “target block time” is the expected time it takes to produce a new block based on the chosen slot time and difficulty. With 0.1 seconds slot time, this means, e.g., that a target block time of 1 second corresponds to a difficulty parameter such that in each slot, the probability that some party is eligible to create a block is 0.1. The “finalization gap” measures the “gap” in time and in number of blocks from when a block was first inserted in the tree to when it was considered final; the gap in time is taken to be the difference in nominal (slot) time between a block and the first block that considers it to be finalized, and the gap in number of blocks is the difference in depth between a block and the first block that considers it to be finalized. For both measurements we give the mean and standard deviation (SD). “Blocks” is the total number of blocks on the finalized chain in the 1 hour sample window, and “Average block time” is the average time between the creation of blocks on the finalized chain in that window. Finally, “Transactions” represents the total accumulated number of transactions in the blocks on the finalized chain inside the sample window.

Figure 3 shows histograms of the time to finalize for the 1 second and 15 seconds block times, with 10, 100, and 1000 finalizers. For example, Figure 3(b) shows that with 100 finalizers and 1 second target block time, almost all blocks are finalized less than 20 seconds after being created, and most blocks are finalized after less than 10 seconds.

Under ideal circumstances, the system should produce a chain with no branching, and we would expect the measured average block time to be equal to the target block time. The fact that this does not happen suggests that some branching does occur. It is also possible that a baker may fail to produce a block in a slot, despite having the right to do so, if the responsible thread fails to wake up in time. As one can see from the results, the average block time with 1000 finalizers is higher than with fewer finalizers. This can be explained by a much higher load on the network, which also affects the bakers. Overall, we picked the parameters rather aggressively to put some stress on our finality layer, since finalization in a perfect blockchain without any branching is a trivial task.

Curiously, the configurations with 100 finalizers consistently perform better than those with 10 and 1000 finalizers, in terms of time to finalize a block. Since a larger finalization committee equates to more messages being sent, we would tend to expect worse performance with a larger committee. One possible explanation for 100 finalizers outperforming 10 is that in the former, finalizers have fewer network hops between them on average. This may mean that a finalizer reaches the thresholds to progress with the finalization protocol more quickly.

We note that the constants used in `NextFinalizationGap` prevent the gap between finalized blocks going below 4. With 15 seconds expected block time, this gap was constantly 4 within the sample window. This suggests that more frequent finalization would be feasible by adjusting these constants.

## Acknowledgements

We would like to thank Mateusz Tilewski for countless discussions during the design of the finality layer, his deep insights into practical distributed systems were valuable in designing a system which is at the same time efficient in practice and provably secure. We would like to thank Matias Frank Jensen and Emil Morre Christensen; their work on generalizing the Finality layer gave valuable insights which were adapted into the protocol presented in this paper. Finally, we thank the Concordium tech team that worked on the implementation and ran the experiments reported in this paper.

## References

- [1] H. Attiya and J. Welch. *Distributed Computing: Fundamentals, Simulations, and Advanced Topics*. Wiley Series on Parallel and Distributed Computing. Wiley, 2004.
- [2] Michael Backes and Dennis Hofheinz. How to break and repair a universally composable signature functionality. In Kan Zhang and Yuliang Zheng, editors, *ISC 2004*, volume 3225 of *LNCS*, pages 61–72. Springer, Heidelberg, September 2004.
- [3] Christian Badertscher, Peter Gazi, Aggelos Kiayias, Alexander Russell, and Vassilis Zikas. Ouroboros genesis: Composable proof-of-stake blockchains with dynamic availability. In *ACM CCS 18*, pages 913–930. ACM Press, 2018.
- [4] Gabriel Bracha. An asynchronous  $[(n-1)/3]$ -resilient consensus protocol. In Robert L. Probert, Nancy A. Lynch, and Nicola Santoro, editors, *3rd ACM PODC*, pages 154–162. ACM, August 1984.
- [5] Ethan Buchman. Tendermint: Byzantine fault tolerance in the age of blockchains. Master’s thesis, The University of Guelph, Guelph, Ontario, Canada, 6 2016.

- [6] Vitalik Buterin and Virgil Griffith. Casper the friendly finality gadget. *CoRR*, abs/1710.09437, 2017.
- [7] Christian Cachin, Klaus Kursawe, Frank Petzold, and Victor Shoup. Secure and efficient asynchronous broadcast protocols. In Joe Kilian, editor, *CRYPTO 2001*, volume 2139 of *LNCS*, pages 524–541. Springer, Heidelberg, August 2001.
- [8] R. Canetti. Universally composable signature, certification, and authentication. In *Proceedings. 17th IEEE Computer Security Foundations Workshop, 2004*, pages 219–233, 6 2004.
- [9] T.-H. Hubert Chan, Rafael Pass, and Elaine Shi. Pala: A simple partially synchronous blockchain. *IACR Cryptology ePrint Archive*, 2018:981, 2018.
- [10] Bernardo David, Peter Gazi, Aggelos Kiayias, and Alexander Russell. Ouroboros praos: An adaptively-secure, semi-synchronous proof-of-stake blockchain. In Jesper Buus Nielsen and Vincent Rijmen, editors, *EUROCRYPT 2018, Part II*, volume 10821 of *LNCS*, pages 66–98. Springer, Heidelberg, April / May 2018.
- [11] Cynthia Dwork, Nancy Lynch, and Larry Stockmeyer. Consensus in the presence of partial synchrony. *J. ACM*, 35(2):288–323, April 1988.
- [12] Juan A. Garay, Aggelos Kiayias, and Nikos Leonardos. The bitcoin backbone protocol: Analysis and applications. In Elisabeth Oswald and Marc Fischlin, editors, *EUROCRYPT 2015, Part II*, volume 9057 of *LNCS*, pages 281–310. Springer, Heidelberg, April 2015.
- [13] Peter Gazi, Aggelos Kiayias, and Alexander Russell. Stake-bleeding attacks on proof-of-stake blockchains. In *Crypto Valley Conference on Blockchain Technology, CVCBT 2018, Zug, Switzerland, June 20-22, 2018*, pages 85–92, 2018.
- [14] Yossi Gilad, Rotem Hemo, Silvio Micali, Georgios Vlachos, and Nickolai Zeldovich. Algorand: Scaling byzantine agreements for cryptocurrencies. In *Proceedings of the 26th Symposium on Operating Systems Principles, Shanghai, China, October 28-31, 2017*, pages 51–68, 2017.
- [15] Aggelos Kiayias, Alexander Russell, Bernardo David, and Roman Oliynykov. Ouroboros: A provably secure proof-of-stake blockchain protocol. In Jonathan Katz and Hovav Shacham, editors, *CRYPTO 2017, Part I*, volume 10401 of *LNCS*, pages 357–388. Springer, Heidelberg, August 2017.
- [16] Eleftherios Kokoris-Kogias, Philipp Jovanovic, Nicolas Gailly, Ismail Khoffi, Linus Gasser, and Bryan Ford. Enhancing bitcoin security and performance with strong consistency via collective signing. In *25th USENIX Security Symposium, USENIX Security 16, Austin, TX, USA, August 10-12, 2016.*, pages 279–296, 2016.
- [17] Eleftherios Kokoris-Kogias, Philipp Jovanovic, Linus Gasser, Nicolas Gailly, Ewa Syta, and Bryan Ford. OmniLedger: A secure, scale-out, decentralized ledger via sharding. In *2018 IEEE Symposium on Security and Privacy*, pages 583–598. IEEE Computer Society Press, May 2018.
- [18] Jae Kwon. Tendermint: Consensus without mining. manuscript, 2014. <https://tendermint.com/static/docs/tendermint.pdf>.
- [19] Silvio Micali. ALGORAND: the efficient and democratic ledger. *CoRR*, abs/1607.01341, 2016.

- [20] Silvio Micali, Michael O. Rabin, and Salil P. Vadhan. Verifiable random functions. In *40th FOCS*, pages 120–130. IEEE Computer Society Press, October 1999.
- [21] Satoshi Nakamoto. Bitcoin: A peer-to-peer electronic cash system. manuscript, 2009. <http://www.bitcoin.org/bitcoin.pdf>.
- [22] Gil Neiger. Distributed consensus revisited. *Information Processing Letters*, 49(4):195 – 201, 1994.
- [23] Rafael Pass, Lior Seeman, and abhi shelat. Analysis of the blockchain protocol in asynchronous networks. In Jean-Sébastien Coron and Jesper Buus Nielsen, editors, *EUROCRYPT 2017, Part II*, volume 10211 of *LNCS*, pages 643–673. Springer, Heidelberg, April / May 2017.
- [24] Rafael Pass and Elaine Shi. FruitChains: A fair blockchain. In Elad Michael Schiller and Alexander A. Schwarzmann, editors, *36th ACM PODC*, pages 315–324. ACM, July 2017.
- [25] Rafael Pass and Elaine Shi. Hybrid consensus: Efficient consensus in the permissionless model. In *31st International Symposium on Distributed Computing, DISC 2017, October 16-20, 2017, Vienna, Austria*, pages 39:1–39:16, 2017.
- [26] Rafael Pass and Elaine Shi. Thunderella: Blockchains with optimistic instant confirmation. In Jesper Buus Nielsen and Vincent Rijmen, editors, *EUROCRYPT 2018, Part II*, volume 10821 of *LNCS*, pages 3–33. Springer, Heidelberg, April / May 2018.
- [27] Alistair Stewart. Byzantine finality gadgets. manuscript, 2019. <https://github.com/w3f/consensus/blob/master/pdf/grandpa.pdf>.
- [28] Russell Turpin and Brian A. Coan. Extending binary byzantine agreement to multivalued byzantine agreement. *Inf. Process. Lett.*, 18(2):73–76, 1984.